HI-TECH PROJECTS

(An Industrial Monthly Magazine on New Project Opportunities and Industrial Technologies)

February - 2015 Issue (E-copy)



ENGINEERS INDIA RESEARCH INSTITUTE

Regd. Off: 4449, Nai Sarak, Main Road, Delhi - 110 006 (India)

* Ph: 9811437895, 9811151047, 91-11-23918117, 23916431, 45120361, 23947058, 64727385

* E-Mail : eiriprojects@gmail.com, eiribooks@yahoo.com

* Website: www.eiriindia.org, www.industrialprojectreports.com

Deposit the amount in "EIRI "Account with HDFC BANK CA- 05532020001279 (RTGS/NEFT/IFSC CODE: HDFC0000553) OR ICICI BANK CA - 038705000994 (RTGS/NEFT/IFSC CODE: ICIC0000387) OR AXIS Bank Ltd. CA - 054010200006248 (RTGS/NEFT/IFSC CODE: UTIB0000054) OR UNION BAK OF INDIA CA-307201010015149 (RTGS/NEFT/IFSC CODE: UBIN0530727) OR STATE BANK OF INDIA CA-30408535340 (RTGS/NEFT/IFSC CODE: SBIN0001067) AND JUST SMS US ON PH. 09811437895

PROFITABLE INDUSTRIES FOR YOU

POWER TRANSFORMER (50 KVA TO 2000 KVA)

Over the past hundred years Transformers have played a major role in the growth of almost all industries in the world. The foundation for the ideal of a "Transformer" was laid by Micheal Faraday in the year 1931. While at that time these transformers were having moving parts the present day Transformer is basically a 'Static" device in the sense that they do not have any moving parts that are continuously in motion. Due to continuous efforts of physicists and engineers in the past year, Transformers, under went many changes, to keep pace with the rapid growth of electrical industries. Now there exists a variety of transformers each differing from the other in its operation, construction, size and applications. The transformers is a device that transfers electricity or energy from one electric circuit to another without change of frequency and usually, but not always, with a change in voltage.

Cost Estimation

Plant Capacity	408 Nos./Annun
Land & Building (5000 sq.mt	.) US\$ 5 Lac
Plant & Machinery	US\$ 49 Th
W.C. for 2 Months	US\$ 3 Lac
Total Capital Investment	US\$ 9 Lac
Rate of Return	27%
Break Even Point	69%

CATTLE FEED PELLETS PLANT FOR COW & BUFFALOE FOR <u>BOOSTING MILK AND</u> <u>GROWTH</u>

India possesses an enormous cattle (180 million) and buffalo (61 million) population but the annual milk production has reached only about 30 million tonnes. The low milk production is primarily dur to the poor potential of the animal and the lack of adequate nutrition. For the fullest exploitation of their genetic potentialities, better feeding must go hand in hand with better breeding. The principal feed resources for animal consumption in the country are crop residues like straws of wheat rice and other cereals and stovers which are very poor in feed value. Even these ate in short supply. These are supplemented to some extent by relatively better quality fodders like cultivated leguminous and non liguminous fodder grasses and concentrates.

Cost Estimation

Plant Capacity	1200 Kgs./Day
Land & Building (200 sq.mt.)	Rs. 3.50 Lacs
Plant & Machinery	Rs. 2.30 Lacs
W.C. for 1 Months	Rs. 3.10 Lacs
Total Capital Investment	Rs. 9.25 Lacs
Rate of Return	64%
Break Even Point	65%

BIODEGRADABLE/ COMPOSTABLE PLASTICS

For the last few decades, the usage of plastic increased because of its specific properties such as low cost, light weight, high strength, non-biodegradability, durability, non corrosive

nature, process ability and high energy effectiveness. Hence these plastics can be used for various application which includes household articles to aeronautic sector. Now a day it's difficult to imagine a life without plastic which are mostly derived from crude oils and natural gas. Among the various polymers, polyethylene, polypropylene and polystyrene are used greatly for food packaging, biomedical field and in agriculture.

Cost Estimation

Plant Capacity	5 MT./Day
Land & Building (1500 sq.mt.)	Rs. 1.53 Cr.
Plant & Machinery	Rs. 1.44 Cr.
W.C. for 3 Months	Rs. 6.54 Cr.
Total Capital Investment	Rs. 9.85 Cr.
Rate of Return	67%
Break Even Point	29%

ACRYLIC COPOLYMER EMULSION

Acrylic emulsion polymers are used in large volumes as coatings finishes and binders for leather, inks and paper, as exterior and interior coatings in home and industry and as adhesive, laminates, elastomers, plasticizers and floor polishes. Part success and future potential stems from their inherent stability, durability pigment binding characteristics and copolymerization versality. From this broad range, the synthesis chemist can tailor polymers composition and structure to meet customer application.

Cost Estimation

Plant Capacity	5000 Kgs./Day
Land & Building (1500 sq.mt.)	Rs. 1.53 Cr.
Plant & Machinery	Rs. 1.94 Cr.
W.C. for 2 Months	Rs. 1.49 Cr.
Total Capital Investment	Rs. 5.30 Cr.
Rate of Return	64%
Break Even Point	35%
***********	*******

BABY NIPPLE

Silicon rubbers have been produced commercially for above 25 years the first patent being applied for in 1944. Their high cost of manufacture, the initial difficulty of achieving good physical properties and the need for special techniques were probably responsible for their technical and commercial development being, for the rubber industry on unorthodox lines. The producers did not offer the raw polymers to the rubber processor to compound himself, but rather formulated, and supplied ready - mixed materials requiring only forming, by one of the usual processes, and vulcanizing.

Cost Estimation

Plant Capacity	12500 Nos./Day
Land & Building (500 sq.mt.)	Rs. 41 Lacs
Plant & Machinery	Rs. 24 Lacs
Total Capital Investment	Rs. 95 Lacs
Rate of Return	52%
Break Even Point	47%

GUTKA MANUFACTURING

Gutka is now-a-days a very common mouth freshener. Generally it is taken by the people of all age groups. Increasing liking of people for Gutka has made its common use. Gutka is

the refined tobacco with cathaeu, chuna, flavouring agents and perfumery compounds etc. It refreshes the mouth and gives the feeling of cold in throat when taken in small amount. Gutka is chewed either with pan or directly without any other thing. Tobacco of various grades, specified by different numbers, constitutes different proportions. The higher the grade of gutkha the higher it will contain tobacco content. No variety is grown to any appreciable extent.

Cost Estimation

Plant Capacity	200 Kgs./Day		
Land & Building (350 sq.mt.)	Rs. 30 Lac		
Plant & Machinery	Rs. 6 Lac		
W.C. for 2 Months	Rs. 26 Lac		
Total Capital Investment	Rs. 65 Lac		
Rate of Return	61%		
Break Even Point	65%		

CONFECTIONERY INDUSTRY-SEMI AUTOMATIC PLANT (TOFFEE, CANDY, CHEWING GUM, BUBBLE GUM ETC.)

Confectionery or sweetmeats are preserved edible delicacies consisting of a solid or crystalline phase and a liquid or non-crystalline phase the relative proportion of which determine the type of confectionery. The principal types of confectionery are hand boiled goods, caramel and toffee, ratin goods, comfits or draggees and lozenges. Sugar is the principal ingredient of confectionery. There are about 50 important confectionery factories in the country. Mainly in U.P. Bihar, Mumbai, Punjab and Bengal. In addition, a large number of small concerns are producing sugar confectionery with indigenous equipments.

Cost Estimation

Plant Capacity	1400 Kgs./Day	
Land & Building (1100 sq.mt.)	Rs. 69 Lacs	
Plant & Machinery	Rs. 52 Lacs	
W.C. for 3 Months	Rs. 82 Lacs	
Total Capital Investment	Rs. 2.16 Cr.	
Rate of Return	19%	
Break Even Point	66%	

KATHA & KUTCH

Katha and cutch are produced from the heart wood of Acacia catechu. It is a common tree found in the tropical deciduous and thorn forests of India. Katha is mainly used in betel leaf (Pan) as masticatory and valued for its catechin content. Cutch the bye product of Katha industry is largely used for dyeing, colouring pulp in paper industry, water softening and in deep oil drilling operations. Kattha is obtained mostly by crystallization in cold from the Katha and cutch are produced from the heart wood of Acacia water extractives of the heartwood of Acacia catechu Willd., fam. Leguminosae commonly known as Khair tree.

Cost Estimation

Plant Capacity	2 Ton./Day
Land & Building (10,000 sq.mt.)	Rs. 2.62 Cr.
Plant & Machinery	Rs. 1.26 Cr.
Total Capital Investment	Rs. 4.86 Cr.
Rate of Return	46%
Break Even Point	39%

	Rs. 20,225/- FOR ALL 54 REPO	KI2 IN CD
PROJECT NAME		
1. AUTOMOBILE	PAINTS	23 Lacs
2. ALUMINIUM F	PAINT	45 Lacs
3. ACRYLIC COL	POLYMER EMULSION	66 Lacs
	JLSION PAINTS	
5. BITUMINOUS		
CORROSION		3.15 Cr.
CEMENT PAIN		11 Lacs
	SPARENT LACQUER	
	G ON BRASS BANGLES	
	VEATHER-RESISTANT	6 Lacs
	HALOCYANINE	
BLUE & GREE		
DRY DISTEMI 10. EMULSION PARTY	PER & CEMENT PAINT	32 Lacs
11. ELECTROPH		1.46 Cr.
	ANE (PU) LACQUER	
	ED) IN LIQUID FORM	
	OPHORETIC COATING	
	ON METAL PLATES	91 Lacs
12. ENAMEL REN		1.07 Cr.
	OF COPPER WIRE	
14. EPOXY RESI	NS	60 Lacs
15. GLASS PUTT	Υ	19 Lacs
16. GLASS COAT		
17. HAMMERTON		27 Lacs
18. INSULATING		28 Lacs
	VARNISH (POLY VINYL	
	SED, FFC GRADE)	15 Lacs
	R/CEMENT COLOUR	40.1
	RED IRON OXIDE)	19 Lacs
	MULSION FOR LEATHER	
	N.C.LACQUER FOR	
	IISHING (FORMULATION URING PROCESSES)	
22. NAPHTHA BA		23 Lacs
23. N.C.PUTTY		38 Lacs
24. N.C.THINNERS	S USED IN AUTOMOBILES	21 Lacs
	DISTEMPER PAINTS	10 Lacs
26. PAINT INDUS	TRY	15 Lacs
27. PAINT REMO		31 Lacs
28. PAINT DRIER		80 Lacs
29. POWDER CO		37 Lacs
30. PAINT AND R		22 Lacs
	ITS, ENAMEL PAINTS	4 07 0
& DISTEMPEI		1.07 Cr.
32. POWDER CO		36 Lacs
	ITS & ENAMEL PAINTS	1.07 Cr. 17 Lacs
34. POLY VINYL 7 35. PIGMENTS B	ACETATE EMULSION	17 Lacs
TEXTILE PRI		26 Lacs
	ATER PROOFING PAINT	12 Lacs
	RMALDEHYDE RESIN	26 Lacs
38. POLY AMIDE		61 Lacs
	PAINT (GRAPHITE BASED	
40. RED OXIDE P		
41. STOVING PAI	NT	57 Lacs
	IULSION FOR TEXTILE	66 Lacs
43. STAINER FOR		
44. SOLVENTS &		30 Lacs
45. TEXTURE PA	INTS	23 Lacs
46. THINNERS		30 Lacs
47. THINNERS (ET	THYL ALCOHOL BASED)	73 Lacs
48. THINNERS (V	WHITE SPIRIT BASED)	26 Lacs
49. UREA FORMA	ALDEHYDE RESIN	27 Lacs
	ED POLYESTER RESINS	3.15 Cr.
	EAR) FOR WOOD ARDING TYPE)	28 Lacs
52. WOOD PRIME		36 Lacs
53. WALL PUTTY	-111 OILLAINIO	20 Lacs
54 WIRE ENAME	=1	16 L aca

Each Project Report covers in this CD contains Introduction Uses, Market, Process with Product Formulae, Suppliers o Plant & Equipments and Raw Materials, Cost Economics with Profitability Analysis, BEP, Resources of Finance etc.

Price of this CD containing all above 54 Project Reports is Rs. 20,225/- or US\$ 500/-. Payable fully in advance through Bank Draft/M.O. in favour of ENGINEERS INDIA RESEARCH NSTITUTE, DELHI. Delivery within 3 days. (To Order ple

Top Industries to Start

PACKAGING OF PROCESSED MAKHANA

Packaged Processed Makhana have got tremendous demand in India and Abroad These are food products having no historical background & becomes in market and in social & cultural synonym as the society became more advanced. The main raw materials for these products are Raw Makhana, Refined Oil, Salt Flavours and assorted Spices. The raw material are frequency available in India in Darbhanga in Bihar and in surrounding area. This food products get abroad market in foreign countries in Central and South America, Europeor Countries and African Countries. Hence, there are a lot of scope and market of these products & therefore, it will provide a very much profitable business

Cost Estimation

Plant Capacity	200 Kgs./Day
Land & Building (5000 sq.ft.)	Rs. 46 Lacs
Plant & Machinery	Rs. 21 Lacs
W.C. for 3 Months	Rs. 72 Lacs
Total Capital Investment	Rs. 1.47 Cr.
Rate of Return	71%
Break Even Point	32%

KRAFT PAPER FROM WASTE PAPER

Paper production requires a disintegration of the bulky fibraes material to individual or small agglomacrate fibres. This is called pulping. The ideal fibre for high grade paper should be long high in cellulose content and low in ligrir content. Most ideal raw materila for paper products is bamboo. Other saurces are bagasse and hardwoods like jute stick must be developed and good quality paper pulp make by blending with bamboo fibre.

Cost Estimation

Plant Capacity	25 MT./Day
Land & Building (15000 sq.mt.)	Rs. 8 Cr.
Plant & Machinery	Rs. 12 Cr.
W.C. for 3 Months	Rs. 5 Cr.
Total Capital Investment	Rs. 27 Cr.
Rate of Return	17%
Break Even Point	70%
*******************************	******

PRE STRESSED CONCRETE PIPES

Prestressed Concrete Pipe cater to intermediate pressure range for which the power plants, using coal, fuel & atomic energy metallic pipes are expensive while RCC pipes as energy sauces, is its limitation on the earth would not be suitable. The strength of a P.S.C pipe is achieved by helically binding high tensile steel wire under tension around a concrete core there by putting the core into compression. When the pipe is pressurised the stresses induced relieve the compressive stress but they arae not sufficent to subject the core to tenslie stresses. The prestressing wire is protected against corrosion by a surround of cementatious cover coat giving at least 25mm of cover P.S.C competes economically with steel for pipe diameters of 600 mm and above. It is a unique combination of durability of concrete and high strength of

steel combined with economy in raw materials. The P.S.C pipes are ideally suited for water supply mains where pressures in the range of 6 Kg/cm2 to 20 Kg/cm2 are encountered.

Cost Estimation

Plant Capacity	60 Nos./Day
Land & Building (2.5 Acres)	Rs. 3 Cr.
Plant & Machinery	Rs. 1.46 Cr.
W.C. for 2 Months	Rs. 8.19 Cr.
Total Capital Investment	Rs. 13 Cr.
Rate of Return	47%
Break Even Point	31%

PHARMACEUTICAL UNIT WITH CHEMICALS, TABLET, CAPSULES, SYRUPS, LOTION ETC.

The development of Indian Drugs and pharmaceuticals Industry was not commonsurate with the size of this country and the growing needs of people, when Indian embarked on its planned economic expansion industry has been substantial and many sides with the result that it has becomes one of the leading industries. India is now producing a larger quantity of varied pharmaceuticals

Cost Estimation

Land & Building (6000 sq.mt.)	Rs. 5.20 Cr.
Plant & Machinery	Rs. 76 Lacs
W.C. for 2 Months	Rs. 1.10 Cr.
Total Capital Investment	Rs. 7.28 Cr.
Rate of Return	67%
Break Even Point	40%

SOLAR MODULES

As the name, itself suggests solar cell is made from two words, solar & cell. Cell means the device to provide the direct current power supply & Solar means the device operated by the energy received from sun. The Solar Cel is the device which, converts the light energy into the electric energy. Viewing the increasing cost of fuel & coal, pollution produced by the thermal power station operated by either coal or fuel, initial capital investment for nuclear power plant & the difficulties regarding the disposal of nuclear waste, all these power generating sources are very inconvenient & trouble some for near future. One more point which diverts our attention from the thermal

Cost Estimation

Plant Capacity	14 Nos./Day
Land & Building (250 sq.mt.)	Rs. 12 Lacs
Plant & Machinery	Rs. 20 Lacs
W.C. for 3 Months	Rs. 35 Lacs
Total Capital Investment	Rs. 72 Lacs
Rate of Return	25%
Break Even Point	64%

Contact EIRI for any Project Report based on your requirements www.eiri.in

Start Your Own Industry

PECTIN FROM ORANGE PEELS

Orange peel is separated out and processed for making pectin from (Orange peel is very high in pectin), or the peel can be sold to another business that makes candied peel or marmalade. Here, in this project, The pectin is being manufactured from Orange peels. Pectin is a natural fibre which is used as a thickner in many foods and beverages. Cellulose fibril constituting plant cell wall requires certain other materials for cementing them into definite structural form of plant organs.

Cost Estimation

Plant Capacity	384 Kgs./Day
Land & Building (5000 sq.mt.)	Rs. 2.23 Cr
Plant & Machinery	Rs. 1.13 Cr
W.C. for 3 Months	Rs. 1.26 Cr
Total Capital Investment	Rs. 4.79 Cr
Rate of Return	36%
Break Even Point	43%

G.I. PIPE

Gulvanised iron pipes (G.I. Pipes) are widely used in industry, domestic water supply lines and in many other construction purposes. These pipes play a key role in water supply to the houses. As per requirements they are obtained in various sizes and wall thickness. They are in such versatile use that they can be seen easily every where in industry and residential areas. They are made of mild steel in general and galvanized to protect from corrosion and soil attack because of their best reasonable cost and long life, they are most popular.

Cost Estimation

Plant Capacity	15 Ton./Day	
Land & Building (5000 sq.mt.)	Rs. 2.63 Cr	
Plant & Machinery	Rs. 1.30 Cr	
W.C. for 2 Months	Rs. 3.49 Cr	
Total Capital Investment	Rs. 7.66 Cı	
Rate of Return	38%	
Break Even Point	52%	

SILICONE OIL

Silicone is a man-made chemical that is put to use in a staggering number of industries and applications. It is created by combining the naturally occurring element silicon with carbon, hydrogen, oxygen and various other chemical elements to yield the desired results. It is a valuable product because it offers some high-quality properties that allow it to be used where other products fail. It was first formally discovered in the 1930s, but it was ten years later that it earned the name of silicone and began to be put to use in many commercial applications. Today it appears in everything from cookware and toys, to automobiles and shamoo.

Cost Estimation

	Plant Capacity	500 Kgs./Day	
	Land & Building (1000 sq.mt.)	Rs. 49 Lacs	
	Plant & Machinery	Rs. 15 Lacs	
	W.C. for 3 Months	Rs. 60 Lacs	
	Total Capital Investment	Rs. 1.28 Cr.	
	Rate of Return	30%	
	Break Even Point	49%	
ı	l ****************	******	

GALVANIZING PLANT FOR STRUCTURES (FOR TOWERS)

Galvanizing plant for structures (for towers) comprising galvanizing angles and channels takes recourse to Hot Dip Galvanizing process, involving pickling, fluxing, specter & galvanizing. Structural towers are commonly fabricated with four columns, although either eight or twelve columns are sometimes used, for large elevated tanks. The columns of towers are commonly made of two channels, braced top and bottom, with top cover plate, and bottom lacing of a built H-section made of plates and angels or a rolled H-section. Struts are made of built channels, or of angles, or of plates and angles. The diagonal bracing is commonly made of rods with adjustable devices or turn buckles.

Cost Estimation

Plant Capacity	4 MT./Day
Land & Building (2000 sq.mt.)	Rs. 92 Lacs
Plant & Machinery	Rs. 48 Lacs
Total Capital Investment	Rs. 2.56 Cr.
Rate of Return	28%
Break Even Point	53%

SANITARY NAPKINS AND BABY DIAPERS (AUTOMATIC IMPORTED PLANT)

Baby diaper may be a newly developed product for India, where as for European countries it has become a general necessity for newly born child caretaking. It was developed & marketed by a swedish firm some time in the year 1958. As a matter of fact a diaper is used for wrapping the newly born or pretty young children who have not get developed the fixed routine for making water or latrine. He or she may discharge at any time which creates a lot of trouble to his mother or caretaker. Who has no convenient place or time to attend the baby while for an outing, shopping, going to movies or friends & relatives. To avoid all trouble they just wrap their babies with the diaper & baby may discharge whenever he feels to. It can retain the wetting for about two hours or so.

Cost Estimation

Plant Capacity	102500 Pcs./Day
Land & Building (2000 sq.mt	t.) Rs. 1.31 Cr.
Plant & Machinery	Rs. 56 Lacs
Total Capital Investment	Rs. 3.05 Cr.
Rate of Return	75%
Break Even Point	40%
*****************************	*******

EXTRACTION OF APRICOT OIL (CHULLI)

Apricot stones/seeds otherwise thrown as a waste were utilized for extraction of oil for both edible and pharmaceutical purposes. Apricot fruits containing 11.7-22.2% stones with about 32% kernels give an oil yield of 46.1-47.2%.

Cost Estimation

COOL Edimiditori			
Plant Capacity	61 Bottles (250g)/Day		
Land & Building (250 s	q.mt.) Rented		
Plant & Machinery	Rs. 5 Lacs		
Total Capital Investmer	nt Rs. 9 Cr.		
Rate of Return	134%		

PVC (POLY VINYL CHLORIDE) & PVC BASED PROFITABLE PROJECTS (25 PROJECT REPORTS - Rs. 26,967/-)

- . BLISTER FILM P.V.C
- FOAMED PVC COMPOUNDING & ITS PRODUCTS (PROFILES, BOARDS, PIPES, ETC.)
- . P.V.C. NON-WOVEN MAT
- 4. P.V.C. INSULATION TAPE
- 5. P.V.C. PIPES & FITTINGS
- 6. P.V.C. COMPOUNDING (FRESH)
- 7. P.V.C. BATTERY SEPARATOR
- 8. P.V.C. FLEXIBLE PIPES
- 9. P.V.C. FOOT WEAR
- 10. P.V.C. LEATHER CLOTH
- 11. P.V.C. WIRES AND CABLES
- 12. P.V.C. FILMS
- 13. P.V.C. GRANULES FROM PLASTIC WASTE
- 14. P.V.C. CONDUIT PIPES
- 15. P.V.C. COVER & FILES (CONFERENCE BAGS, FOLDERS, FILE COVERS, DIARY COVERS FTC.)
- P.V.C./PLASTICS (SOFT/RIGID) FILMS/SHEET
- 17. P.V.C. INSULATION TAPE
- 18. P.V.C. STABILIZERS
- 19. P.V.C. EXTRUSION PROFILES (WIRING CHANNELS)
- 20. P.V.C. RESIN FROM ĆALCIUM CARBIDE
- 21. P.V.C. INDUSTRIAL PRODUCTS (INJECTION MOULDED)
- 22. P.V.C. FLUSH CISTERN
- 23. RIGID PVC COMPOUNDED
 GRANULES FOR INJECTION
 MOULDING MACHINE (USED FOR
 PIPE FITTINGS, ELBOWS,
 SOCKETS, NUTS, ETC.)
- 24. uPVC DOORS & WINDOWS
- 25. uPVC DOORS & WINDOWS PROFILES

Each Project Report covers in this CD contains Introduction, Uses, Market, Process with Product Formulae, Suppliers of Plant & Equipments and Raw Materials, Cost Economics with Profitability Analysis BEP, Resources of Finance etc.

Price of this CD containing all above 25 Project Reports is Rs. 26,967.- Payable fully in advance through Bank Draft/M.O. in favour of ENGINEERS INDIA RESEARCH INSTITUTE, DELHI. Delivery within 3 days. (To Order please dial: 098114-37895).

COAL WASHING UNIT

Coal is a combustible solid, usually stratified. It is formed by the burial of partially decomposed vegetable in past geological ages. Detailed Project Report is available @ Rs. 20,000/- with EIRI. www.eiriindia.org

Cost Estimation (All Fig. in Lacs)

Plant Capacity	4000 MT./Day
Land & Building (7 Acres)	Rs. 470 Lacs
Plant & Machinery	Rs. 1226 Lacs
Total Capital Investment	Rs. 3413 Lacs
Rate of Return	71%
Break Even Point	26%

Start Your Own Industry

CALCIUM CARBONATE (PRECIPITATED AND ACTIVATED)

These two forms of calcium carbonate differ in respect of coating which the former does not have and later has. Both the forms of calcium carbonate are being used in various industries as filler or extender, thus assumes crucial importance in chemical and allied industries. PVC Rubber, denitrifice, cigarette paper, printing ink, pharmaceutical are some of the calcium carbonate using industries. In this offer we have considered the product mix of Precipitated Grade which could cover very wide range of grades in terms of Particle Size. Shape and Distribution. It will be possible to vary any of the three physical properties alongwith other physical properties, such as Bulk Density, Flow Point, Viscosity, as required by individual customers as per their need. We have also considered 40 Tons per day capacity Activated Calcium Carbonate with different coating arrangement as well as sophisticated Pressure Filtration and Drying System to ensure the quality product.

Cost Estimation

I	Plant Capacity	10 MT./Day
I	Land & Building (4000 sq.mt.)	Rs. 3 Cr.
	Plant & Machinery	Rs. 2 Cr.
I	W.C. for 1 Months	Rs. 25 Lacs
I	Total Capital Investment	Rs. 6 Cr.
I	Rate of Return	27%
I	Break Even Point	58%

B.P.O. AND CALL CENTRE

First of all it is necessary to understand what is outsourcing. Outsourcing encompasses a wide range of services, from a particular project to a technical domain to all activities. A successful outsourcing project is only possible if the outsourcing decision has taken into consideration all known costs and benefits associated with the project. It is also important that the contract be effectively negotiated and managed. Business Process Outsourcing (BPO) is an appropriately structured arrangement between an Organization and an Outsourcing supplier to perform services, which were otherwise conducted in-house.

Cost Estimation

Land & Building (1800 sq.mt.)	Rs. 3.42 Cr.
Plant & Machinery	Rs. 6 Cr.
W.C. for 2 Months	Rs. 2.76 Cr.
Total Capital Investment	Rs. 12.61 Cr.
Rate of Return	121%
Break Even Point	39%

COPPER ROD WIRE DRAWING AND PVC WIRE & CABLES

Copper wire, having higher electrical conductivity, is mostly used in electrical and electronic appliances. Copper wire is having

Patrons, deposit amount in EIRI Account

ICICI BANK LTD. CA-038705000994 (RTGS/NEFT/IFSC Code: ICIC0000387) abundant uses such as in household wrings and electric motors. Copper is a high reactive element. It reacts with oxygen and thus oxide layer is formed on the surface and so it is corrosion-resistant. Copper is having good mechanical properties, viz, good malleability and formability which makes fabrication easy, it can be easily welded or soldered. The melting temperature of copper is 10830C hence wires of various copper base alloys can also be drawn.

Cost Estimation (All Fig. in Lacs) Plant Capacity 15 Ton./Day Land & Building (6000 sq.mt.) Rs. 332 Lacs

 Plant & Machinery
 Rs. 267 Lacs

 W.C. for 3 Months
 Rs. 5645 Lacs

 Total Capital Investment
 Rs. 6280 Lacs

 Rate of Return
 77%

METALLIC STEARATE BY PRECIPITATION AND FUSION PROCESS

Stearates of aluminium, calcium, magnesium and zinc are known as driers and metallic soaps. It has long been established that the metal or catier of the metallic soap is the active principle which accelerates the oxidation and polymerization reactions associated with the drying of oils. As many as twenty four metals are known to have activity, but the soaps of cobalt, manganese, lead, iron, calcium, zinc and zirconium account for the major share of present-day-use. Of these cobalt, manganese, lead and iron soaps are the primary driers. Calcium, zinc and zirconium soans alone do not promote drying. They are useful only in conjunction with one or more of the primary driers and thus are termed auxilliary driers. The organic or a main portions of the metallic soaps used as driers act as carrying and salubilizing agents. Because of their stability, excellent salability and low cost, soaps based on naphthenic acid, tall oil and 2- ethylhexoic acid account for the major portion of the driers in use today. Driers made with resin, oleic and linoleic acids have declined in use, but are still manufactured for special purposes. Driers based on newly available synthetic, tertiary organic acids have been developed.

Cost Estimation

Oost Estimation	
Plant Capacity	10 MT./Day
Land & Building (3000 sq.mt.)	Rs. 1.38 Cr
Plant & Machinery	Rs. 70 Lacs
W.C. for 3 Months	Rs. 4.50 Cr
Total Capital Investment	Rs. 6.70 Cr
Rate of Return	50%
Break Even Point	32%

COOLANT (ENGINE)

Engine Coolant is a mixture of various types of glycols and highly formulates & researched various corrosive inhibitors. De-mineralized water is mixed with the coolant as per suggestion and used in the engine-radiator cooling system to remove excess heat of engine. The purpose of Coolant is to remove excess heat produced from the engine operation, to control corrosion and scaling,

antifreeze and boil over the radiator water. So many years ago water was used to reduce the temperature. Water is an effective heat transfer fluid but it boils at very low temperature., highly corrosive and format scaling. It impure the cooling liquid by accumulating corrosive and scaled waste. So it chocks up tubes of radiator and finally engine overheats.

Cost Estimation

Plant Capacity	200 Ltr./Day
Land & Building (350 sq.mt.)	Rs. 17 Lacs
Plant & Machinery	Rs. 7 Lacs
Total Capital Investment	Rs. 38 Lacs
Rate of Return	28%

SCHOOL OF FOREIGN LANGUAGES

Foreign language courses are designed to meet the fundamental objectives of learning Japanese language, namely to obtain the vocabulary and grammar of Japanese, to comprehend Japanese, to communicate in day-to-day social situations, to demonstrate one's interest in Japan - her culture, people and life and to make business contacts and friends. The faculty of JLS has been trained to guide the student to understand important Japanese and customs behavioural norms. both on business and social fronts. School provides students with specially developed text books written in Roman alphabets - in the same it is done the world over. Text books are supplemented by reading material, home assignments and audio tapes. Additional material is provided to students for learning basic script which is later followed by prescribed reading material for advanced

Cost Estimation

Plant Capacity	13 Class/Day
Land & Building (1000 sq.mt.)	Rs. 51 Lacs
Plant & Machinery	Rs. 50 Lacs
Total Capital Investment	Rs. 1.25 Cr.
Rate of Return	27%

BOTTLING PLANT (IMFL & COUNTRY LIQUOR) FROM RECTIFIED SPIRIT

Gin, vodka and related spirits like aquarit are distinguishable from whisky, rum and brandy which themselves have a number of common characteristics. The most evident difference is in colour, with gin an vodka normally being colourless white whisky, rum and brandy vary in shade from straw-coloured to the deepest brown. This immediate difference is linked with distinguishing features of composition and flavour which are reflected in the methods of production of the two troup of sprits.

Cost Estimation

Plant Capacity	1000 Cases/Day
Land & Building (39000 sq.ft.) Rs. 2.15 Cr.
Plant & Machinery	Rs. 64 Lacs
Total Capital Investment	Rs. 3.88 Cr.
Rate of Return	11%
Break Even Point	69%
*********	*********

Top Industries to Start

ROTOGRAVURE PRINTING (FOR FLEXIBLE PACKAGING)

A pouch is similar to a bag except it is simpler in constructions and is made from roll stock, filled and sealed on automatic high speed machinery. There are many possible variations of pouch sizes, shapes and compositions. Few general types can be described. Pouches can be defined as vertical or horizontal, depending on how they are formed. Vertical pouches are made by drawing one or two webs downward a forming mandrel, sealing one or two seats to form a tube and adding a top and bottom seal for closure than one side seal is used and centured, it is called a pillow type.

Cost Estimation

1 MT./Day
Rs. 1.56 Cr.
Rs. 81 Cr.
Rs. 4.28 Cr
22%
56%

L.P.G. BOTTLING PLANT

Through out the commercial life time of a hydrocarbon fuel, from production at the weelhead to combustion in chamber considerations of fuel storage movement loss, safety and contamination apply. These are determined largely by the properties of the fuel itself and are therefore controlled by suitable property specifications. They are also influenced significantly by the design of the handling equipment, the procedures adopted and in some cases by the use of appropriate fuel additives. Bulk petroleum and hydrocarbons generally are most commonly stored in cylindrical tanks of welded stee construction up to about 100.000 Ton capacity mounted vertically on simple formulations of rubble and sand bituminmix.

Cost Estimation

Plant Capacity	10000 Cylinders/Day
Land & Building (10,000	sq.mt.) Rs. 11.50 Cr
Plant & Machinery	Rs. 2.30 Cr
W.C. for 2 Months	Rs. 5.67 Cr
Total Capital Investment	Rs. 27.51 Cr
Rate of Return	56%
Break Even Point	25%

BIO TECHNOLOGY LABORATORY AND TRAINING INSTITUTE

Bio Technology is based on the catalytic activities of cells, either intact cell or extract from them. Bio-Technology training is needed to fill the void between the curriculum of a the oretical education and the practical demand of depending on your speciality. R & D validation regulation, processing or manufacturing in the biotechnology field. Furthermore, proper biotechnology training is essential due to the complexity and inherent uncertainty of using living organisms as production system to manufacture complex biologically active protein.

Cost Estimation

Plant Capacity	40 Students/Month
Land & Building (3000 sq.	ft.) Rs. 47 Lacs
Plant & Machinery	Rs. 8 Lacs
Total Capital Investment	Rs. 62 Lacs
Rate of Return	15%
Break Even Point	62%

DECORATIVE LAMINATED SHEET (SUNMICA)

The material is intended for interior use. The specification applies to sheets in which the only filter is paper and does not cover sheets with a core of any other material covered by this report is not intended for load beariong applications. In India three types of decorative and industrial laminated sheets or products are being manufactured usually using phenol formaldehyde or melamine formaldehyde or other phenolic resins as bindiong materials for the core and the surface papers.

Cost Estimation

Plant Capacity	1600 sq.mt./Day
Land & Building (2000 sq.mt.	.) Rs. 2.31 Cr.
Plant & Machinery	Rs. 1.56 Cr.
Total Capital Investment	Rs. 7.24 Cr.
Rate of Return	55%

VEGETABLES FRESH AND FROZEN

Preservation of foods by drying them is perhaps the oldest method known. Large quantities of fruits are dried in the sun in different parts of the world such as Asia Minor, Greece, Spain, and other Mediterranean countries, Arabia, Afghanistan, Australia, etc. The modern method of dehydration, i.e. drying fruits and vegetables under controlled conditions of temperature and humidity is, however, assuming importance as a major industry.

Cost Estimation

Plant Capacity	5 MT./Day
Land and Building (2 Acres)	Rs. 2.43 Cr.
Plant & Machinery	Rs. 1.61 Cr.
Total Capital Investment	Rs. 5.75 Cr.
Rate of Return	25%
Break Even Point	57%

E.R.W. STEEL PIPES & TUBES

Pipes and tubes find use in almost all the industries/services in one way or the other. Automobile vehicles use metallic pipes, including steel pipes, of a large variety. Gas/water/liquids transporting pipes are spread everywhere. Irrigation, petroleum products, sewerage, chemicals transportation pipes and those used in mines, public water supply networks, are well known. Hydraulic piping divided into (i) rigid & (ii) flexible classes.

Cost Estimation (All Fig. in Laks) Plant Capacity 60 MT/Day Land and Building (10,000 sq.mt.) Rs. 481 Lacs Plant & Machinery Rs. 566 Lacs W.C. for 3 Months Rs. 2176 Lacs Total Capital Investment Rs. 3575 Lacs Rate of Return 84% Break Even Point 29%

BEER INDUSTRY

Among the alcoholic drinks, Beer is quite common and popular in almost every Country of the World. People of different Countries take beer in varying much like a soft drink in European Countries it is just a substitute of water. The alcoholic contents and main source stuff also keep varying according to the tests of the major part of population of the particular country although it is a fashion to ask for beer of every origin in every Country. Formulations of beer manufacturing are done with the view of availability of the raw materials in that particular part of the World where the brewery is proposed to be established.

Cost Estimation

Plant Capacity	5000 KL/Annum
Land and Building (5 Acres)	Rs. 1 Cr.
Plant & Machinery	Rs. 15.30 Cr.
W.C. for 3 Months	Rs. 2.63 Cr.
Total Capital Investment	Rs. 23.42 Cr.
Rate of Return	48%
Break Even Point	44%

AUTOMATIC BREAD AND BISCUIT PLANT

Modern days are changes with the advance of scientific discovery. Due to the scarcity of time now human beings changes their food habits. No body can pay much more time for their preparation of food, every body wants to get ready made fresh food, such that human being can save their time. They do not want to loss their valuable time in the preparation of daily food. By this thiming now a days these different kind of food materials developed, like instant tea, instant coffee, instant milk, instant rice etc.

Cost Estimation

Land and Building (4000 sq.mt.)	Rs. 1.63 Cr.
Plant & Machinery	Rs. 60 Lacs
W.C. for 3 Months	Rs. 1.84 Cr.
Total Capital Investment	Rs. 4.24 Cr.
Rate of Return	63%
Break Even Point	30%

SUGARCANE JUICE IN TETRAPACK

Sugarcane juice in tetra pack must be a demandable product as there are few units which are producing mango juice, guava juice, mixed juice and orange juice in tetra packs but not sugar cane. Tetrapack sugar cane juice will fetch the good market as this is a new concept for our country. Preservation is done when Juice or food is kept for longer period without any deteriorated or spoils the juice by the direct contact with atmosphere.

Cost Estimation

Plant Capacity	20000 Nos./Day
Land & Building (3 Acres)	Rs. 1.91 Cr.
Plant & Machinery	Rs. 12.75 Cr.
W.C. for 1 Months	Rs. 36 Lacs
Total Capital Investment	Rs. 15.46 Cr.
Rate of Return	19%
Break Even Point	65%

Deposit amount in EIRI Account AXIS BANK LTD. 054010200006248 (IFS Code: UTIB0000054)

Best Industries to Start and Grow

STEEL FABRICATION WORKSHOP

A standard steel fabrication workshop consists of a shed with (L x W x H) 100m x 20m x 12m and all facilities for fabricating all kinds of universal steel. It includes, steel shearing, punching, forming, welding, rolling sandblasting, plasma cutting and painting. It can be used in making structural steel and equipment. Such as, Flats, Angles, T Bars, Channels, Angle, Posts, Universal Beams & Columns, Sub Floor Access Doors, wide flange columns and beams, structural HSS and channel shapes, welded wide flange, deep girder beams, open web steel joists, etc. Planning is a continuous movement towards desired goals. While preise formulation of our five year plans objectives have varied from plan-to-plan, the essential goals have remained unchanged. The model on which our goals are based. emphasize the production of basic materials viz. Coal, Iron & Steels, Power, Non-Ferrous materials, Fertilizers, agricultural impliments and growth of heavy industries. These basic materials ensure self-reliant development of the nation.

Cost Estimation

Land & Building (2000 sq.mt.)	Rs. 1 Cr.
Plant & Machinery	Rs. 33 Lacs
W.C. for 3 Months	Rs. 82 Lacs
Total Capital Investment	Rs. 2.25 Cr.
Rate of Return	108%
Break Even Point	28%

AUTOMOBILE WORKSHOP/GARAGE

A limited nos, of manufacturers of various types of automobile vehicles in India had their limited capacities of production e.g. Ashok Leyland, Tata Motors, Models designs were changed rarely. Hence these vehicles either could not attract or could not reach the aspiring purchasers. A revolution has come in the automobile industry with the introduction of light vehicles manufactured by Four-Wheelers Manufacturers. Swaraj Mazda, More & more enterprises are coming up with new designs, research and development, consequently more no of vehicles are produced.

Cost Estimation

Land & Building (966.54 sq.mt.)	Rs. 69 Lacs
Plant & Machinery	Rs. 16 Lacs
W.C. for 3 Months	Rs. 33 Lacs
Total Capital Investment	Rs. 1.24 Cr.
Rate of Return	21%
Break Even Point	59%
I ************************************	******

EGGTRAY FROM PULP

Egg Tray is becoming an eminent item these days for housing eggs in a safer packing schedule manner and their demand is increasing day by day. Among all the food

Patrons, deposit amount in EIRI Account STATE BANK OF INDIA CA-30408535340

(RTGS/NEFT/IFSC Code: SBIN0001273) | Break Even Point

products egg is a very common and important item which used in almost every meal and in every refreshment. It is neither considered fully vegetarian, nonvegetarian, and hence both the classes of the people consume it largely. The market scenario of egg trays is suggestive of their good prospects. The consumption and demand of eggs is increasing day by day and the exact data of consumption can not be given. But it can be said by studying the present market trend that the supply of eggs is less than the demand and there is a wide gap in between the two which is not possible to fill in near future.

Cost Estimation (All Fig. in US\$)

Plant Capacity	20000 Nos/Day
Land and Building (2000 sq.m	t.) US\$ 3.25 Lacs
Plant & Machinery	US\$ 86 Th.
W.C. for 3 Months	US\$ 52 Th.
Total Capital Investment	US\$ 5.04 Lacs
Rate of Return	22%
Break Even Point	59%

CARDANOL FROM C.N.S.L. (CASHEWNUT SHELL LIQUID)

Cashew nut shell liquid or oil obtained by heat treatment contains about 10% cardol and about 90% cardanol (a vessicant oil liquid) resulting from decarboxylating anacordic acid and its polymers. Formerly, a moister product of the cashew kernel industry in southern India, Cashew nut shell oil has become a valuable raw material in the manufacture of many industrial product.

Cost Estimation

	Plant Capacity	10 MT./Day
	Land & Building (1000 Sq.Mt.)	Rs. 83 Lacs
	Plant & Machinery	Rs. 34 Lacs
	W.C. for 3 Months	Rs. 3.86 Cr.
	Total Capital Investment	Rs. 5.10 Cr.
	Rate of Return Break Even Point	39%
١	Break Even Point	36%

HARD ANODISED PRESSURE COOKERS AND **UTENSILS**

Pressure Cookers are conventionally made of Aluminium Alloys sheet or Circles. In Recent years stainless steel has penetrated into this field. As stainless steel is not thermally so efficient as Aluminium, the latest trends towards manufacture of Pressure Cookers with Copper clad bottom of pressure cookers. In every family utensils of different metals are used made of steel, Brass, Aluminium, Copper etc. More over utensils of every metals has a definite significance of its own but aluminium utensils are especially used by lower class people Because It is light, guite reasonable and with high heat bearing capacity

Cost Estimation

Land & Building (500 Sq.Mt.)	Rs. 87 Lacs
Plant & Machinery	Rs. 45 Lacs
W.C. for 3 Months	Rs. 2 Cr.
Total Capital Investment	Rs. 3.41 Cr.
Rate of Return	75%
Brook Even Point	380/

Hi-Tech Projects

Date of Posting 24th to 30th of Every Month Weight of Magazine- Upto 48 Gram) An Industrial Monthly Magazine on Hi-Tech Projects & developed and underdeveloping Technologies with lucrative Project opportunities

Editor

Sudhir Gupta

Asst. Editor

Ankur Gupta

SUBSCRIPTION RATES FOR INDIA

Single Copy Rs. 20/-One Year Rs. 225/-Three Years Rs. 650/-

(Add Rs. 100/- for outstation cheques Please make the Draft/Cheque in favour of "Engineers India Research

Institute, Delhi"

FOR OVERSEAS

Single Copy US\$ 10/-One Year US\$ 120/-

CAUTION

Project Reports/Profiles provided in this issue had been prepared on datas available at the time of preparing these reports. Entrepreneurs/Industrialists are requested to please update the data before venturing into any project mentioned herein.

PUBLISHERS



ENGINEERS INDIA RESEARCH INSTITUTE

4449 Nai Sarak, Main Road, Delhi - 110006 (INDIA) Ph: 9111-23916431, 23918117, 45120361, 9811437895, 9811151047

E-Mail: eiribooks@yahoo.com, eiriprojects@gmail.com Website: www.eiriindia.org www.eiribooksandprojectreports.com

Patrons may also directly transfer the fund for Project Reports & Books in following EIRI current accounts:

HDFC BANK - 05532020001279 (RTGS/NEFT/IFSC CODE: HDFC0001981)

ICICI BANK - 038705000994 (RTGS/NEFT/IFSC CODE: ICIC0000387)

AXIS Bank Ltd. - 054010200006248 (RTGS/NEFT/IFSC CODE:UTIB0000054)

UNION BAK OF INDIA -307201010015149 RTGS/NEFT/IFSC CODE: UBIN0530727)

STATE BANK OF INDIA -30408535340 (RTGS/NEFT/IFSC CODE: SBIN0001273)

AND SMS US ON PH. +91 9811437895

Start Your Own Industry

POLYOL USED FOR POLYURETHANES

Polyols are higher molecular weight materials manufactured from an initiator and monomeric building blocks. They are most easily classified as polyether polyols, which are made by the reaction of epoxides (oxiranes) with an active hydrogen containing starter compounds, or polyester polyols, which are made by the polycondensation of multifunctional carboxylic acids and hydroxyl compounds. They can be further classified according to their end use as flexible or rigid polyols, depending on the functionality of the initiator and their molecular weight. Taking into account functionality, flexible polyols have molecular weights from 2,000 to 10,000 (OH# from 18 to 56). Rigid polyols have molecular weights from 250 to 700 (OH# from 300 to 700). Polyols with molecular weights from 700 to 2.000 (OH# 60 to 280) are used to add stiffness or flexibility to base systems, as well as increase solubility of low molecular weight glycols in high molecular weight polyols.

Cost Estimation

20 Tons/Day
Rs. 5.27 Cr
Rs. 2.76 Cr
Rs. 10.98 Cr
Rs. 19.19 Cr
82%
20%

OXYGEN AND NITROGEN **GAS PLANT**

Oxygen (O2, gas at Oo/1 matm., 1.429 g./1 crit. temp., 118o.8; crit. pressure, 49.7 atm.) is a colorless, odourless, and tateless gas somewhat heavier than air. It is one of the most active elements and plays on essentia part in the respiration of living cells and in combustion. It is by far the most abundant elements; it forms 21% by volume of the atmosphere and eight-ninths by weight of water it occurs as silicates in the earth's crust. Oxyger occurs usually in the form of diatomic

molecules but triatomic ozone is also found. A for nitrogen, chemical fertilizer makers used it for synthesis of ammonia and production of calcium cyanamide through installation of their own nitrogen separators. In recent years, however, the characteristics of nitrogen as inactive gas have come to be utilized by the petrochemical, textile, electronic and other ndustries as atmospheric gas. In addition, the range of use of nitrogen has expanded as it added frozen food stuff industry as a new user

Cost Estimation

Plant Capacity	1600 M3/Day
Land and Building (1280 sq.mt.)	Rs. 1.47 Cr.
Plant & Machinery	Rs. 1.82 Cr.
W.C. for 3 Months	Rs. 53 Lacs
Total Capital Investment	Rs. 6.50 Cr.
Rate of Return	15%
Break Even Point	68%

Patrons, deposit amount in **EIRI Account** HDFC BANK CA-05532020001279 (RTGS/NEFT/IFSC Code: HDFC0000553)

CALCIUM SILICATE

Calcium silicate is mainly used as an antioaking agent in dust formulations (Mainly DDT wettable formulation),as filler in rubber industry and also as in insulation material. Calcium silicate is extensively used in pharmacautical compounds such as absorbants and acid etc. Calcium silicate hydrates are some times also used for decolourising and purifying sugar solutions, fermented beverages and mineral oil. There are a variety of calcium silicates. Calcium silicate that have an approximate composition cao 5sio. 1.8H2o is used in bulk quantity in the rubber industry as filler as its particles size is not suitable for rubber compounding. Calcium silicate is manufactured from sodium silicate. Hydrochloric Acid and Lime No ISI standard yet. But main tests are oil absorption and water absorption tests for insecticide formulations.

Cost Estimation

Plant Capacity	5 MT./Day
Land and Building (4000 sq.mt.)	Rs. 2.98 Cr.
Plant & Machinery	Rs. 93 Lacs
W.C. for 3 Months	Rs. 4.82 Cr.
Total Capital Investment	Rs. 9 Cr.
Rate of Return	70%
Break Even Point	27%

TOUGHENED GLASS

Toughened glass is a type of soda-lime-silica glass with a sheet thickness 4-12 mm. The kg/cm2 and a ratio of surface compressive stress to central tensile stress of 2:1 to 4:1 The article is toughened by heat exchange maintained from 0.01 - 0.07% liquid. The boiling point liquid may be an organic liquid such as carbon tetrachloride, methanol, benzene, toluene, trimethyl alcohol, ethyl alcohol or Xvlene etc. The toughened glass is described as a type of glass which has been mechanically drying oil i.e. dehydrated castor oil. strenghen by a thermal process in which a layer of compression has been introduced at the surface. There are several glass items introduced into early ages of the century. Toughened safety glass (float or polished) is produced by subjecting glass to a process of heating and rapid cooling so as to induce high compressive stresses in the surface sones balanced by high tension in the central place. Cost Estimation

Plant Capacity 2000 Sq.Ft./Day Land and Building (6000 sq.mt.) Rs. 4.92 Cr. Plant & Machinery Rs. 1.75 Cr. W.C. for 2 Months Rs 6 36 Cr Total Capital Investment Rs 13 92 Cr Rate of Return 53%

HUMIC ACID

34%

Break Even Point

Humic Acid is a bio-chemical which is a very complex mixture of organic constitents which have their counterpart in biological tissue of plants. It is a brown polymeric constituent of soils lignite and beat. It contains brownish-black pigment melanin and peat. Humic Acid acts

as a chelating agent a growth stimulant and catalyst and buffer against harsh conditions in the soil affecting the plants. It unlocks and chelates major and minor nutrients for planuptake. In the absence of chelates in the Soil Iron, Zinc, Manganese, Copper and Magnesium are converted to insoluble hydroxides. It keep trace elements in solution available for growing plants. It buffers high and low pH's to allow nutrient uptake to less than optimum conditions. Humic Acid has the ability to resist a change in the hydrogen ion concentration. Thus buffering capacity ranges between 5.5 and 6.5. It contains wide variety o major and trace elements several amino acid and has pH of not less than 7.0.

Cost Estimation

Plant Capacity	2 Ton/Day
Land and Building (1000 sq.mt.)	Rs. 92 Lacs
Plant & Machinery	Rs. 6 Lacs
W.C. for 3 Months	Rs. 52 Lacs
Total Capital Investment	Rs. 1.70 Cr.
Rate of Return	29%
Break Even Point	46%

CASTOR OIL AND ITS **DERIVATIVES OLEO RESIN,** TURKEY RED OIL, DCO, HCO, **SEBACIC ACID, 12-HYDROXY** STEARIC ACID

Castor oil obtained by a combination o pressing and extraction from the seeds of sheet has a central tensile stress of 500-1200 the castor oil plant (Ricinus communis) consists of upto 90% of triglyceride of ricinoleic acid 12 hydroxy oleic acid. The hydroxyl number of castor oil is 161-169. The component with an oil (or chilled air) in which these is glycerides of castor oil (% mole) comprise saturated-diricinoleins (7.3%) oleo-diricinoleins (2.5%) Linoleo diricinoleins (13.4%), Dihydroxy Stearo diricinoldins (2%) Triricinolein (74.8%) More important the non-drying ricinoleic acid in the castor oil can be dehydrated to give a

Cost Estimation

Plant Capacity	20 MT/Day
Land and Building (3000 sq.mt.)	Rs. 1.96 Cr.
Plant & Machinery	Rs. 88 Lacs
Total Capital Investment	Rs. 10.65 Cr.
Rate of Return	76%
Break Even Point	25%

FROZEN FOOD BY IQF TECHNOLOGY

Individual Quick Freezing (I.Q.F.) is the latest technology available in freezing and with the advent of the same, it is now possible to preserve and store raw fruit and vegetables in the same farm-fresh condition for more than a year, with the color, flavor and texture of produce remaining as good as fresh from the farm.

Cost Estimation

Plant Capacity	24 MT/Day
Land and Building (2 Acre)	Rs. 2.27 Cr.
Plant & Machinery	Rs. 6.75 Cr.
Total Capital Investment	Rs. 13.07 Cr.
Rate of Return	101%
Break Even Point	29%

Best Industries to Start and Grow

POTATO POWDER

The potato is a starchy, tuberous crop from the perennial Solanum tuberosum of the Solanaceae family (also known as the nightshades). The word potato may refer to the plant itself as well as the edible tuber. In the region of the Andes, there are some other closely related cultivated potato species. Potatoes were first introduced outside the Andes region four centuries ago, and have become an integral part of much of the world's cuisine. It is the world's fourth-largest food crop. following rice, wheat, and maize. Long-term storage of potatoes requires specialized care in cold warehouses. Wild potato species occur throughout the Americas, from the United States to Uruguay. The potato was originally believed to have been domesticated independently in multiple locations, but later genetic testing of the wide variety of cultivars and wild species proved a single origin for potatoes in the area of present-day southern Peru (from a species in the Solanum brevicaule complex), where they were domesticated 7,000-10,000 years ago.

Cost Estimation

Plant Capacity	5 Ton/Day
Land & Building (3000 sq.mt.)	Rs. 3.52 Cr.
Plant & Machinery	Rs. 2.14 Cr.
W.C. for 3 Months	Rs. 5.42 Cr.
Total Capital Investment	Rs. 11.54 Cr.
Rate of Return	36%
Break Even Point	59%

ZINC SULPHATE MONOHYDRATE

Zinc sulphate is a widely used chemical and has been known under the name of "White Vitriol". Although Zinc Sulphate (mono hydrate) occurs in nature in small quantities as mineral Glosarite, this compound is normally manufactured synthetically. It is the colourless white free flowing powder. It exists in powder form of hydrates as, ZnSo4.H2O. Zinc sulphate is also found in three hydrates forms whose molecular formula's are ZnSo4. 4H2O,ZnSo4 H2O. The unstable hydrates are more soluble than stable form. The solubility of the unstable hydrate is 58.7 gm in 10 gm of water at 18oc while stable shows only 52.7 gm in 100 grams It was also shown that the response of zinc sulphate was good for rice potato tea in particular and for all the cereals as a whole.

Cost Estimation

Plant Capacity	50 MT./Day
Land & Building (5000 sq.mt.)	Rs. 7.38 Cr.
Plant & Machinery	Rs. 2.78 Cr.
Total Capital Investment	Rs. 21.21 Cr.
Rate of Return	74%
Break Even Point	24%
I	

BIOFERTILIZER [EIRI-1429]

The fertilizers are used to improve the fertility of the land using biological wastes, hence the term biofertilizers, and biological wastes do not contain any chemicals which are detrimental to the living soil. They are extremely beneficial in enriching the soil with those micro-organisms, which produce organic nutrients for the soil and help comba diseases. The farm produce does not contain

traces of hazardous and poisonous materials. Thus those products are accepted across the world as Organic ones. Hence for organic farming the use of biofertilizers is mandatory increasing every year and is mainly supplied in the form of chemical fertilizers. Chemical fertilizers mainly Urea, D.A.P. Super Phosphate Potash, Zinc Sulphate etc. are being used since long back to boost the crop production which has adverse effects on soil biota thereby increasing the cost of cultivation. It also causes health and environmental hazards alongwith decline in productivity and quality of produce.

Cost Estimation			
Plant Capacity	1.50 Ton./Day		
Land & Building (Area 4 Acres)	Rs. 2.86 Cr.		
Plant & Machinery	Rs. 1.08 Cr.		
W.C. for 1 Months	Rs. 48 Lacs		
Total Capital Investment	Rs. 4.60 Cr.		
Rate of Return	38%		
Break Even Point	50%		

M.S. BILLETS [EIRI-1433]

M.S Billet which is the main raw material of Iron & Steel finished products, e.g. T.M.T Bars. angles, channels and sections etc. used in construction activities. Con-cast plant can be simply defined as a mill that carries con-cast process in which the molten steel is poured into laddle mould to perform the gradual solidification of metal into desired forms and shapes. Swiftly, the molten metal is solidified and is drawn down the caster. This gradually gets transformed into a solid steel billet, bloom or slab

Cost Estimation

Plant Capacity	64 MT./Day
Land & Building (Area 5000 sq.	mt.)Rs. 3.58 Cr.
Plant & Machinery	Rs. 8.05 Cr.
W.C. for 2 Months	Rs. 11.15 Cr.
Total Capital Investment	Rs. 24 Cr.
Rate of Return	60%
Break Even Point	40%

NUT, BOLTS, RIVETS AND WASHERS [EIRI-1452]

Nuts and Bolts are most commonly used items in the family of industrial fasteners and their demand is fast increasing due to expansion of flavoured products. industries in the country. Bolt is a piece of metal rod whose one end is upset and at the other end threading is done. Nut is a device which rolls on bolt threads. In nuts, internal threading is done while bolts bear external thread. Screw, demonstrate their true merit in the movements, assembly etc, of wooden components. Screws are most popular as fasteners which assemble, or join parts together to be made into a complete unit. Nuts and Bolts are available in various sizes and shapes.

Cost Estimation

Plant Capacity	3 MT./Day
Land & Building (1500 sq.mt.)	Rs. 1.29 Cr.
Plant & Machinery	Rs. 82 Lacs
Total Capital Investment	Rs. 2.72 Cr.
Rate of Return	30%
Break Even Point	64%

ALLOY WHEELS MANUFACTURING PLANT [EIRI-1455]

In India the requirement of fertilizers is steeply The wheel is a mechanical device, which provides rotary motion by means of a disk or circular frame revolving on an axis. The stee wheel can be used in heavy load and traction services. The size and contour of a specific wheel design is based on the load it must carry and the space limitations of the equipment or which it is used. The contour of the wheel is normally composed compose of five parts: the hub, plate, rim, tread & flange, Classifications based on the service to which the wheels are applied are defined as: 1 Industrial car wheels for use on various cars such as those used in mining railroads and transfer cars: 2 Crane truck wheels for use in traveling, gantry, bridge cranes and floor type changing and drawing machines; 3. Railroad freight car wheels, used according to their capacity and application, and 4. Heavy duty wheels, for use under railroad and electric railway cars, rapid transit passenger cars and locomotives.

Cost Estimation

Plant Capacity	5000 Nos./Day
Land & Building (8000 sq.mt.)	Rs. 5.81 Cr.
Plant & Machinery	Rs. 8.84 Cr.
W.C. for 2 Months	Rs. 41.72 Cr.
Total Capital Investment	Rs. 57.30 Cr.
Rate of Return	109%
Break Even Point	30%


COCOA BUTTER AND COCOA POWDER WITH CULTIVATION [EIRI-1655]

Cocoa Powder (Cocoa) is the food prepared by pulverizing the material remaining after the part of fat (Cocoa Powder) is removed from chocolate liquor. The V.S.chocolate standards define three types of cocos based on their fat content. These are (a) Breakfast, or high fat cocoa containing not less than 22% fat. (b) Cocoa, or medium fat cocoa containing less than 22% but more than 10%. (c) Low fat cocoa, containing less than 10% fat. Cocoa powder production today is an important par of the cocoa and chocolate industry, because of increased consumption of chocolate

COST ESTIMATION

COO! LOTIMATION		
Plant Capacity	5.00 MT/Day	
Land & Building (400 Acres)	Rs. 21.25 Cr	
Plant & Machinery	Rs. 2.29 Cr	
W.C. for 3 Months	Rs.3.36 Cr	
Total Capital Investment	Rs. 27.21 Cr	
Rate of Return	67%	
Break Even Point	22%	





Available at : www.eiri.in

Market Survey Cum Detailed Techno **Economic Feasibility Reports**

- To get Loan/Finance from Banks/Finacial Institutes.
- To set up your own Industry/Unit
- To have Detailed & Exhaustive Data on any Project.



* EIRI Project Reports are prepared by highly qualified & experienced consultants & Market Research and Analysis supported by a panel of Experts and Computerised.

Data provided are reliable and uptodate collected from manufacturers/suppliers, plant already commissioned in India.

A complete List of Industrial Project Reports are given on www.eiribooksandprojectreports.com

EACH DETAILED PROJECT REPORT CONTAINS:

- ▼INTRODUCTION: Project Mix, Uses & Applications, Quality Control Measure & Their Introduction for Attaining Required Properties Economy & Productivity Competence.
- ◆MARKET SURVEY: Market Position, Installed Capacity Production, Anticipated Demand, Present Manufacturers, Statistics of Imports & Exports, Estimated Demand, Demand & Supply Gap (If available), LI/IL Issued Recently
- ◆PROCESS OF MANUFACTURE: Inventory Controls & Tests, Comparative Study of Process for Manufacturing the Product, Formulations, Process Flow Sheet Diagram, Process Detail in Stages from Raw Materials to Finished Products
- ▼RAW MATERIALS: Raw Material Specifications, Market Codes & Raw Material Prices, Sources of Procurement of Raw Materials [Imported/Indigenous]
- ▼PLANT & MACHINERY: Range of Machineries Required, Detailed Specifications of Machines & Equipments, Prices od Machineries, Suppliers of Plant and Machineries.
- LAND & BUILDING: Total Land Area Requirement with Rates, Covered Area Break-up with Estimated Costs of
- ◆PROJECT ECONOMICS: Land & buildings, Plant, Machinery & Other Fixed Assets, Total Capital Investment, Working Capital Assessment, Raw Material & Consumable Stores, Staff Salaries & Wages, Utilities & Overheads, Total Cost of Project, Sources of Finance/Refinance, Break Even Point Determination.

For assessing Market Potential, Corporate Diversifications, Planning, Investment Decision Making and to start your own setup, Entrepreneurs and Industrialists are most welcome to contact EIRI.

EIRI Technocrats and Engineers have just prepared "MARKET SURVEY CUM DETAILED TECHNO ECONOMIC FEASIBILITY REPORTS" on following lucrative products which are most viable and profitable and having bright future scope

- COPPER SULPHATE FROM COPPER ASH/SCRAP CHELATED ZINC (ZN-EDTA)
- ORTHOPAEDIC IMPLANTS AND INSTRUMENTS BARLEY MALT
- MINERAL TURPENTINE OIL (M.T.O.) FROM PETROLEM (SUPERIOR KEROSENE OIL OR OTHER MATERIAL)
- M.S.FASTENERS AND S.S. **FASTENERS**
- P.V.C. COMPOUNDING (FRESH) FOR CABLES AND **PVC PIPES**
- BANANA FIBRE EXTRACTION AND HAND MADE PAPER BANANA & ITS BY PRODUCTS
- **COLOUR AND ADDITIVES** MASTERBATCHES
- METALLIC STEARATE
- SURGICAL METHYLATED SPIRIT
- KHADSARI SUGAR (500 TCD) COTTON (RUI) FROM WASTE

- COTTON CLOTH
- LAUNDRY & DRY CLEANERS
- COATED YARN
- TOUGHENED GLASS CAUSTIC SODA (SODIUM HYDROXIDE) (NaoH) ELECTROLYTIC PROCESS
- PLASTIC WASTE RECYCLING **UNIT & PYROLYSIS PLANT** FROM PLASTIC AND RUBBER
- WASTE (INTEGRATED UNIT) CHITIN & CHITOSAN FROM PRAWN SHELL WASTE
- PASTA PRODUCTION PLANT (SHORT PASTA)
- SODIUM HYDRO SULFITE THROUGH FORMALDEHYDE ROUTE CAP-20 TPD
- SODA ASH PLANT FROM SOLVAY PROCESS
- ONION, AND GARLIC POWDER WITH GRAPE **DEHYDRATION (RAISINS)**
- FLUSH DOORS **DI-METHYL PHTHALATES** (DMP)

GLUTEN FREE BEER

Avail One Free Copy of **HI-TECH PROJECTS** Industrial Monthly Magazine by Email, Contact at: eiriprojects@gmail.com

eiribooks@yahoo.com

- PVC AND PP FILES AND **FOLDERS**
- SUI FAMIC ACID PURE CRYSTAL AND OTHER GRADE (GP,SR & TM GRADE)
- **DECORATIVE LAMINATED** SHEET (SUNMICA)
- ALPHA CELLULOSE POWDER FROM COTTON WASTE CAST POLY PROPYLENE
- FILMS (CPP FILM) CASHEW NUT PROCESSING **BIOGAS PRODUCTION (1500** CUBIC METER PER DAY)
- SOYA MILK AND PANEER
- MINERAL TURPENTINE OIL (MTO)



EIRI is an expert **Industrial Consultant** working over 35 years and specialized to prepare all types of **Detailed Proiect** Reports based on clients requirements. Do Contact Today at: eiritechnology@gmail.com

Highly Profitable Projects for New Entrepreneurs "EIRI Market Survey Cum Detailed Techno Economic Feasibility Reports"

- * STEEL FABRICATION
- * STEEL ROLLING MILL
- (REINFORCEMENT BAR) ACRYLIC BATH TUB BY
- ACRYLIC SHEET
- * FABRICATION OF HEAT EXCHANGER
- * KITCHEN PRODUCTS
- MADE OF STAINLESS STEEL
- * ALUMINIUM BEVERAGE CAN * STEEL ROLLING MILL (BY
- INDUCTION FURNACE FROM STEEL SCRAP & SPONG
- * M.S. BILLET CASTING WITH INDUCTION FURNACE FROM STEEL SCRAP & SPONGE IRON
- * PROCESSING OF LOW GRADE TUNGESTEN ORE FULL BODY & CHASSISS BUS PLANT
- * ASSEMBLY OF AIR CONDITIONER/CHEST FREEZER/REFRIGERATOR
- * G.I.LADDER & PERFORATED
 TRAYS
- * ALUMINIUM DOORS & WINDOWS (ALUMINIUM FABRICATION)
- * LEAF SPRINGS FOR TRACTOR DRAWN TROLLEYS & FOUR WHEELER TEMPOS
- * STEEL BRIGHT BARS
- * AUTOMOTIVE ENGINE VALVE * AUTOMOTIVE BRAKING SYSTEM
- * DISPLAY COOLER
- * ERW STEEL PIPES & TUBES
- * STEEL INGOTS
- * TMT STEEL BARS (SARIYA)
- * AUTOMOBILE TRACTORS
- * ACTIVATED ALUMINA BALLS
- * ALUMINIUM FOIL
- * STONEWARE PIPE (S.W.PIPE)/ CLAY PIPE
- * IRON ORE PELLETIZATION
- * ELECTRIC CONTROL PANEL
- * SOLAR PV POWER PLANT
- * MACHINE SHOP (FOR OIL AND GAS ENGINEERING INDUSTRY, AEROSCAPE ENGINEERING INDUSTRY)
- * STEEL BRIGHT BARS
- * CEILING FAN
- * COPPER STRIP COILS FROM SCRAPS
- * PRODUCTION OF PV
- PANELS (SOLAR PV PANELS)

 ROTARY AIR LOCKS, SCREW
 CONVEYOR, MOTORIZED/
 PNEUMATIC DAMPER, FLAP
 VALVES, AIR SLIDES
 REQUIRED IN CEMENT
 PLANTS AND THERMAL
 POWER PLANT

 * ALUMINIUM EXTRUSION

- * ALUMINIUM COIL COATING FOR ACP AND ROOFING IND.
- * PAVING BLOCK
- * WIRE NAILS
- TMT STEEL BARS
 FASTENERS/NUT & BOLTS
- (INDUSTRIAL &AUTOMOBILE)
 HYDRAULIC CYLINDERS
- * DISPOSABLE SYRINGES WITH NEEDLE PLANT
- * FABRICATION UNIT (PRESSURE VESSEL, REACTOR VESSEL &
- AGITATORS, HEAT EXCHANGERS) & SEAMLESS PIPES AND TUBES
- * COPPER POWDER FROM COPPER SCRAP
- * STONE CRUSHER * PRODUCTION OF ALL TYPES OF FANS SUCH AS
- AXIAL FANS,CENTRIFUGAL FANS (SMOKE EXTRACT FANS & FRESH AIR SUPPLY
- FANS), BATHROOM FANSETC.

 * STONE MINING
- * MAHINDRA CAR
 DEALERSHIP WITH
 AUTOMOBILE SERVICE
- STATION/GARAGE
 * AUTO FILTERS (AIR FILTERS,
 OIL FILTERS & FUEL FILTERS)
 * AAC & ACSR ALUMINIUM
 CONDUCTORS
- * MANGANESE ORE JIGGING * STEEL TRANSMISSION LINE TOWERS AND ROLLING MILL TO PRODUCE STEEL
- SECTIONS * FERRO SILICON (FROM MINERAL INGREDIENTS)
- STAINLESS STEEL TUBES
 * M.S. FASTENERS AND
- S.S. FASTENERS
- * PREFABRICATED STEEL FRAMED BUILDING MANUFACTURING PLANT
- * LEAD ACID BATTERY * GALVANISED WIRE
- * POWER TRANSFORMER (50 KVA TO 2000 KVA) * M.S. PIPE
- * GALVANISED IRON SHEETS * M.S.BILLETS
- * STEEL GRATING (GALVANISING ELECTRO FORGED STEEL GRATING)
- * ALLOY WHEELS PLANT * ESTABLISHMENT OF MANUFACTURING OF
- REFRIGERATING APPLIANCE
 * WELDED WIRE MESH
- * ALUMINIUM COLD ROLLING MILL FOR SHEETS & CIRCLES
- * ALUMINIUM ROLLING
 MILL FOR MANUFACTURING
 ALUMINIUM CIRCLES

- REQUIRED FOR PRESSURE COOKERS, NON STICK COOKWARES & CIRCLES
- * LPG CYLINDER
- ALUMINIUM COMPOSITE PANNELS
- DEEP FREEZER ENVIRONMENTAL CLEARANCE FOR EXPANSION OF INGOTS/
- BILLETS PLANT
 * FERRO SILICON BY
 SMELTING PROCESS
- * ALUMINIUM CONDUCTOR
 * PRESTRESSED
 CONCRETE POLES
- * FASTENERS (NUT & BOLT) USED IN OIL AND GAS * ALUMINIUM ALLOY PLANT
- * STAINLESS STEEL SINKS
- * ALUMINIUM ALLOY PLANT * P.V.C BATTERYSEPARATOR
- AUTOMOTIVE TYRE AND TUBE VALVES (VALVES MANUFACTURING)
- * PRESSURE COOKWARE ALUMINIUM, STAINLESS
- STEEL & HARD ANODIZED
 * ELECTRIC WATER HEATER
- * ELECTRIC WATER HEATER

 * SOLAR WATER HEATER

 DOMESTIC & INDUSTRIAL
- * CORRUGATED COLOURED ROOFING GALVANISED IRON SHEET
- * PRESSURE DIE CASTING * G.I.WIRE AND BARBED
- WIRE
 * G.I.WIRE & M.S. BINDING
 WIRE
- * HOT DIP GALVANIZING PLANT FOR STRUCTURAL STEEL AND PIPES
- * COLD ROLLING MILL
 * DOOR HINGES (MILD
 STEEL AND STAINLESS
- * PRESSURIZED AEROSOLS
 (LIKE BODY SPRAYS,
 DEBELIMES SHAVING
- (LIKE BODY SPRAYS, PERFUMES, SHAVING FOAM AND SHAVING LOTIONS ETC.)
- * ANHYDROUS SODIUM DITHIONITE PRODUCTION (SODIUM FORMATE PROCESS)
- * SODA ASH PLANT (FROM SOLUTION BRINE)
- * SISAL FIBRE REINFORCED
- * CEMENT ROOFING SHEET

 * HIGH ALUMINA
- REFRACTORY BRICK PLANT * CATHETERS
- MANUFACTURING
 * SURGICAL RUBBER
 DISPOSABLE GOODS

- POULTRY AND HATHERY FARMING
- * MILK PROCESSING PLANT
 * ROASTED, SALTED ALMONDS,
 PEANUTS FOR PACKING IN
- 25g, 50g,250g & 500g SACHET-S
- * GUAR GUM POWDER

 * AUTOMATIC WHITE BREAD
- MAKING PLANT
 * AUTOMATIC RISCUIT MAKING
- * AUTOMATIC BISCUIT MAKING PLANT
- * FROZEN FOOD BY IOF TECHNOLOGY
- WALNUT PROCESSING PLANT WHIPPING CREAM FRUITS & VEGETABLES POWDER UNIT (EXPORTS ORIENTED UNIT)
- * NATURAL MEDICINE & RESEARCH INSTITUTE WITH 150 BEDS HOSPITAL
- PACKAGED DRINKING WATER (PACKED IN 330 ml CUP, 500ML BOTTLE, 1500 ML BOTTLE AND 20 LTR. JAR)
- 20 LTH. JAH)

 **COLD STORAGE
 (CONTROLLED ATMOSPHERE
 OR CA) FOR POTATO CAP:
 1,00,000 BAGS (50 Kg/Bag),
 STORING CAP: 5000 Mt,
 SOLVENT EXTRACTION
- & REFINING (SOYABEAN) (Cap-250mt/day & 50mt/Day oil Refining)
- * BOTTLING PLANT (WHISKY, BRANDY, RUM, VODKS, GIN) FROM RECTIFIED SPIRIT/ENA LUBE OIL BLENDING AND GREASES PLANT
- * COLD STORAGE FOR POTATO 1,00,000 BAGS (50 KG/BAG)
- * MAIZE FLOUR & BY PRODÚCT MANUFACTURING PLANT * CUT FLOWER (GLADOLI, MARIGOLD, STATICE, CHRYSANTHEMUM ROSE
- WITH GREEN HOUSE)
 * CATTLE FARMING AND
- DAIRY PRODUCTS
 * COLD STORAGE FOR POTATO
 AND OTHER HORTICULTURE
 PRODUCTS Cap:- 5000 Mt
- PRODUCTS Cap:- 5000 Mt or 100000 Bags (50 Kg/Bag) * DEXTROSE PLANT
- * SBR RUBBER SHEETS AND SHOE MANUFACTURING * CASHEW NUT PROCESSING
- * PLYWOOD AND PLYBOARD PARTICLE BOARD AND LAMINATED PARTICLE BOARD * VENEER MAKING, PLYWOOD
- & PLYBOARD MAKING
 * WALNUT & PINUS(CHILGOZA)
 OIL, SHELL POWDER
- PROCESSING PLANT
 * COUNTRY LIQUOR BOTTLING
 PLANT (1,00,000 BOTTLES/

* PLASTIC GRANULES FROM	* READY MADE GARMENT	FIBRE BLANKET, CERAMIC	* POLYALUMINIUM CHLORIDE
PLASTIC WASTE	(T-SHIRT/POLO GOLFER/	FIBRE BOARD AND CERAMIC	* NAMKEEN INDUSTRY
* ROPE AND SUTLI MAKING	WOVEN SHIRTING & SUITING	-	(BHUJIA, CHANACHUR ETC.)
PLANT	FOR UNIFORMS/SWEATERS)	* COLD SUPPLY CHAIN	* POLYOL USED FOR
* BOTTLING PLANT (COUNTRY	MANUFACTURING	* LAMI TUBE MANUFACTURING	POLYURETHANES
LIQUOR) 10,000 LTRS./DAY)	* BIO-DIESEL EXTRACTION FROM JATROPHA,	* EYE DROP 3 PIECES (PLASTIC VIALS)	* POLYSTYRENE POLY
* I.V. FLUID (FFS OR BFS TECHNOLOGY)	SOYABEAN, SUNFLOWER,	* PET BOTTLES (CAMBER/	PROPYLENE OXIDE * DIETHYL PHTHALATE
* TOXIN PAN MASALA,	RICE BRAN, ALGE &	CLEAR IN COLOUR) CAP:	* UREA FORMALDEHYDE AND
TOBACCO LESS GUTKHA	CULTIVATION OF JATROPHA	15ML,60ML 100ML,135ML,	MELAMINE MELAMINE
AND ZARDA	* FAST FOOD RESTAURANT	200ML & 500ML	* FORMALDEHYDE MOULDING
* RUBBER & FLAT	CHAIN WITH CENTRALLISED	* BENZYL ALKONIUM	POWDER
TRANSMISSION BELT	KITCHEN	CHLORIDE (BKC)	* INSTANT COFFEE
CONVEYOR BELT	* GUAR SPLIT POWDER AND	* NATURAL SUGAR WAX	* ANNATTO SEED COLOUR
* UPVC DOORS & WINDOWS	OTHER BY PRODUCTS	* MARGARINE BUTTERFROM	EXTRACTION
FABRICATING PLANT (Fixing	* SOLVENT EXTRACTION	VEGETABLE OIL	* FRUITS AND VEGETABLES
and Installation of Door and	PLANT (COTTON SEED)	* GREEN HOUSE FOR CROP	DRYING BY (FREEZE DRYING
Windows of uPVC profiles)	* RASGULLA MANUFACTURING	PRODUCTION	METHOD)
* RUBBER & FLAT	AND CANNING * CULTIVATION OF RICE &	* ORGANIC DAIRY FARMING * E-WASTE	* BIO GAS PRODUCTION AND
TRANSMISSION BELT CONVEYOR BELT	WHEAT COMMERCIAL &	* BIO-DIESEL FROM ALGAE	BOTTLING PLANT * JAM, JELLIES, FRUIT JUICE
* MUSTARD OIL PROCESSING	MECHANISED DEVELOPMNT	* VANADIUM PENT OXIDE	AND ALLIED PRODUCTS
PLANT (EXPELLER PROCESS)	l	GRAPHITE MINING AND	MATERNITY NURSING HOME
* MEDICAL COLLEGE WITH	PROCESSING -STARCH	BENEFICIATION PLANT	* CANNING & PRESERVATION
750 BEDS HOSPITAL FACILITY	MODIFIED STARCHES/LIQUID	* VITAMIN WATER	OF VEGETABLES
* MICRO IRRIGATION	GLUCOSE/DEXTROSE	* PET PREFORM CUM PET	* CURCUMIN & TURMERIC OIL
PRODUCT MANUFACTURING	MONOHYDRATE/GLUCOSE	BOTTLES	FROM TURMERIC
PLANT	SYRUPS/CORN SYRUP	* ORGANIC DAIRY FARMING	DETERGENT WASHING
* HOT DIP GALVANIZING	SOLIDS/HIGH MALTOSE	AND PRODUCING WHOLE	POWDER (ARIEL TYPE)
MUSTARD OIL PROCESSING	CORN SYRPS/ MAITO	MILK POWDER (WMP) * HDPE BOTTLES	* GRANITE SLAB AND TILES
PLANT (EXPELLER PROCESS)	DEXTRINE POWDER/CORN GLUTEN MEAL (60%) MAIZE	* CAUSTIC SODA FROM	* TEA PACKAGING * PAN MASALA & GUTKHA
CEMENT TILES, CANAL LINE SLAB, KERV STONE, PAYER	OIL/SORBITOL	SODIUM CHLORIDE	* PRESTRESSED CONCRETE
RCC PIPE, MANOHOLE	* TEAK FARMING	* COAL TAR PITCH	ELECTRIC POLES
COVER, ENTERLOCKING ETC.	* ARTIFICIAL MARBLE	* MOSQUITO REPELLANT	* LEATHER SHOES
MANUFACTURING PLANT	(SYNTHETIC)	* WRIST BAND	* ROTOGRAVURE PRINTING
* MEDICAL COLLEGE (100	* POTATO STARCH CARDANOL	* CASTOR OIL AND ITS	(FOR FLEXIBLE PACKAGING)
STUDENT INTAKE	FROM C.N.S.L. (CASHEWNUT	DERIVATIVES OLEO RESIN,	* AUTOCLAVED AERATED
CAP. MEDICAL COLLEGE	SHELL LIQVID	TURKEY RED OIL, DCO, HCO,	CONCRETE BLOCKS
WITH 500 BED HOSPITAL)	* INTEGRATED SCRAP YARD	SEBACIC ACID, 12-HYDROXY	* OXYGEN AND NITROGEN
* ESTABLISHMENT OF A	* POTATO STARCH	STEARIC ACID	GAS PLANT
PRIVATE UNIVERSITY	* MANGO PULP (5 TON/HOUR 200 KG ASEPTIC PACKAGING)	* PAPAIN FROM PAPAYA * PROCESSED CHEESE	* MANGANESE ORE BENEFICATION
* DIGITAL INKS * GALVANIZING PROCESS	* BOTTLING PLANT (WHISKY,	* MONOCHLOROBENZENE	* MINERAL WOOL
PLANT FOR ELECTRICAL	BRANDY, RUM, VODKA, GIN)	* EUGENOL FROM CINNAMON	* CALCIUM SILICATE
POLES	FROM RECTIFIED SPIRIT/ENA		* TOUGHENED GLASS
* MAIZE PROCESSING PLANT	* COW DAIRY FARMING	* SULPHUR 80% WDG	* HUMIC ACID
* STARCHES / MODIFIED	(AYRSHIRE/HOLSTEIN) AND	* CERAMIC FIBERS,	* OFFSET PRINTING UNIT
STARCHES/ LIQUID GLUCOSE		CERAMIC FIBRE BLANKET,	(5 COLOUR)
/ DEXTROSE MONOHYDRATE	CAP-50,000 LTR/DAY	CERAMIC FIBRE BOARD	* CASTOR OIL AND ITS
/GLUCOSE SYRUPS / CORN	* WHEAT FLOUR MILL	AND CERAMIC FIBRE ROPE	DERIVATIVES OLEORESIN
SYRUP SOLIDS / HIGH	* CHAKKI FLOUR MILL	* SCREEN PRINTING	* TISSUE PAPER PULPING
MALTOSE CORN SYRUPS /	* I.V. FLUID (FFSTECHNOLOGY) * LIQUID GLUCOSE FROM	* DI CALCIUM PHOSPHATE FROM ROCK PHOSPHATE	FROM SAW DUST * KNITTED GLOVES
MALTO DEXTRINE POWDER / CORN GLUTEN MEAL (60%)	POTATOES	& HAIFA PROCESS	* RADIATOR COOLANT
MAIZE OIL / SORBITOL.	* SORBITOL FROM MAIZE	* PVC FLEXIBLE PIPE	* LATEX FOAM RUBBER
* BABY CARE PRODUCTS	STARCH	* FLEX BANNER USED IN	(SPONG RUBBER)
* FAT LIQUOR (CHLORINATED	* WALNUT PROCESSINGPLANT	DIGITAL PRINTING	* GARLIC OIL AND POWDER
PARAFFIN WAX)	* SOLVENT EXTRACTION AND	* PIGMENTS BINDERS FOR	* ACTIVATED CARBON &
* BOTTLING OF WHISKY	OIL REFINERY CUM PACKING	TEXTILE PRINTING	SODIUM SILICATE FROM
* UPVC DOORS & WINDOWS	OF RICE BRAN OIL	* POULTRY & HATCHERY FARM	PADDY/ RICE HUSK
PROFILES	* COTTON SEED OIL SOLVENT	* ALOEVERA JUICE AND GEL	* TRIETHYLENE GLYCOL
* EPDM RUBBER PROFILES	EXTRACTION PLANT * MARINE TRAINING INSTITUTE	* LIME PUTTY * AUTOMOBILE WORKSHOP/	* RAMMING MASS
* FAT LIQUOR (CHLORINATED PARAFFIN WAX)	& PLACEMENT SERVICE	GARAGE	* WOOD PEELING & VENEER MAKING
* FAST FOOD RESTAURANT	PROVIDING AGENCY	* EGG TRAY FROM PULP	* PETROLEUM JELLY
WITH CENTRALLISED	* I.V.FLUID (FFS TECHNOLOGY)		* DAIRY FARM (COW &
KITCHEN	* CERAMIC FIBERS, CERAMIC	* OXYGEN GAS	BUFFALO) TO PRODUCE
	· ·		i '

Market Survey Cum Detailed Techno Economic Faeasibility Report on all Projects are available contact: ENGINEERS INDIA RESEARCH INSTITUTE

4449, Nai Sarak, Main Road, Delhi - 110 006 (India) * Ph. : +91 9811437895, 9811151047, 91-11-23918117, 23916431, 23947058, 45120361 Email: eiribooks@yahoo.com, eiriprojects@gmail.com Website: www.eiriindia.org, www.eiribooksandprojectreports.com

Highly Profitable Projects for New Entrepreneurs "EIRI Market Survey Cum Detailed Techno Economic Feasibility Reports"

=	conomic Feas	sibility Reports	
MILK & PACKAGING IN	* MEDICAL DISPOSABLE	YARN, DYEING & WEAVING	* DUSTLESS CHALK
POUCHES	PLASTIC SYRINGES	* CALCIUM CHLORIDE	(SCHOOL CHALK)
* CUTTING OIL LIQUID GOLD	* METAL POLISHING BAR	* AMINES & ALLIED PRODUCT	* TOMATO POWDER
(IN PASTE FORM)	* SANITARY NAPKINS & BABY	* SPINNING COTTON	* BIODEGRADABLE /
* P.V.C. LEATHER CLOTH	DIAPERS	* SILICONE FROM RICE HUSK	COMPOSTABLE PLASTICS
(REXINE)	* PERFUMES/ATTAR	* ADHESIVE (FEVICOL TYPE)	* ACRYLIC CO POLYMER
* COAL TAR DISTILLATION	* GEMS AND JEWELLERY	* CAUSTIC SODA FROM	EMULSION
* ALUMINIUM LABEL PRINTING	* MULTIAXIAL GLASS FABRIC	ELECTROLYSIS	* ESTER GUM (FOOD GRADE)
* FOLDING CARTNS/MONO	* ACTIVE ZINC OXIDE	* CAMPHOR TABLETS	* PROTEIN BASED FOAMING
CARTONS	* COPPER PHTHALOCYANINE	* CERAMIC GLAZED WALL	AGENT
* SURGICAL DISPOSABLE	* TURMERIC OIL EXTRACTION	AND FLOOR TILES	* LECITHIN (SOYA BASED)
GLOVES (DIPPED RUBBER	FROM DRY TURMERIC	* ZINC SULPHATE MONO	* SOYA OIL AND CATTLE
GOODS)	* CNSL BASED RESIN IN	* ETHANOL (BIO FUEL)	FEED FROM SOYA
* AGRICULTURAL CHEMICAL	LIQUID & POWDER FORM	FROM RICE STRAW	BEAN
(PLANT GROWTH PROMOTER	BOPP FILM	* GYPSUM MOULDING AND	* COMPARISON BETWEEN
AND PLANT GROWTH	* BETA IONONE	GYPSUM BOARD	FLY ASH AND CELLULAR
REGULATOR)	* BIO-FERTILIZER	* SMOKELESS COAL	LIGHTWEIGHT CONCRETE
* MENTHOL BOLD CRYSTALS	* ZINC & COPPER SULPHATE	* ACID (SILICA) AND BASIC	(CLC) BRICKS
FROM MENTHOL FLAKES	* PAPER BASED PHENOLIC	RAMMING MASS	* CELL CAST ACRYLIC
* ORGANIC FARMING	SHEET (FOR ELECTRICAL	* UNSATURATED	SHEET
* CORRUGATED	APPLIANCE)	POLYESTER RESINS	* ACRYLIC BATH TUB AND
POLYCARBONATE SHEET	* THINNERS (WHITE SPIRIT	* DAIRY (BUFFALO) FARMING	SHOWER TRAY
* COLD STORAGE	BASED)	SILICONE FROM RICE HUSK	* THERMOCOLE BASED
* FLAT PVC LAMINATED	* SINGLE SUPER PHOSPHATE	* N-ACETYL THIOZOLIDINE-	DISPOSABLE PLATES * SODIUM SILICATE FROM
* SAFTY GLASS/TOUGHENED	& SULPHURIC ACID	4-CARBOXYLIC ACID (NATCA) * PE BASED CARBON BLACK	RICE HUSK
GLASS	* MONO CALCIUM PHOSPHATE	COMPOUND	* ETHYL METHACRYLATE
* PLASTIC GRANULES FROM WASTE	& DI-CALCIUM PHOSPHATE	* ONION DEHYDRATION	* SODIUM LAURYL ETHER
-	* FLEXIBLE P.U. FOAM	* PVC PIPES & FITTING	SULPHATE
* DRY WALL PUTTY (WHITE CEMENT BASED)	* ASPIRIN	* GLASS REINFORCED	* LATEX GLOVES,
* CHARCOAL BRIQUETTE	* SORBITOL FROM MAIZE STARCH	* GYPSUM MOULDINGS	CONDOMS & CATHETER
* OXALIC ACID FROM	* SPICE OIL & OLEORESIN	ABSORBENT COTTON &	* CALCIUM NITRATE
MOLASSES	* ANTI-FOAMING AGENT	SURGICAL BANDAGES	GRAIN BASED ALCOHOL
* POTATO GRANULES	(SILICONE BASED) FOR	* CALCIUM STEARATE BY	DISTILLERY
* SANITARY NAPKINS & BABY	DISTILLERY, SUGAR, PAPER	FUSION PROCESS	* BULK DRUGS
DIAPERS	PLANT ETC.	* MANGO POWDER & OTHER	* MARBLE QUARRYING
* CORRUGATED BOXES	* LAUNDRY & DRY CLEANER	FREEZE DRIED PRODUCTS	* CULTIVATION OF
* PLASTER OF PARIS	* BRICKS FROM STONE DUST	* MENTHOL OIL FROM	CAPSICUM IN GREEN
* RUBBER ROLLER FOR	* CARBOXY METHYL STARCH	LEAVES AND MENTHOL	HOUSE
PRINTING MACHINE	* TITANIUM DIOXIDE	* CRYSTALS (PEPPERMINT)	* SULPHUR 90% WDG
* LACTIC ACID	* UNDECYENIC ACID	MANUFACTURE OF	* EGG POWDER
* EMERY PAPER (SAND PAPER)	* PSA BASED NITROGEN	CELLULOSE ACETATE	* WOOD PLASTIC
* RUBBER RECLAIM SHEET	GENERATOR	* ANTIFOAMING /	* COMPOSITE BOARD LINE
FROM USED BUTYL TYRE	* SYNTHETIC IRON OXIDE	DEFOAMING AGENT	* SODIUM LAURYL SULPHATE
AND TUBE	* PVC INSULATION TAPE	* ALOEVERA CULTIVATION &	AND SODIUM LAURYL
* MANGO PULP	* TAMARIND KERNEL POWDER	PROCESSING * SYNTHETIC MAGNESIUM	ETHER SULPHATE * FISH PROCESSING
* PARTICLE BOARD FROM	* ORGANIC CHEMICAL &	SILICATES	* BABY CEREAL FOOD & MILK
BAGASSE AND RICE HUSK	SOLVENTS	* EPHEDRINE	POWDERS (BABY FOOD)
* TOILET PAPER & NAPKINS * TENDER COCONUT WATER	* PLASTICIZERS	HYDROCHLORIDE	* GUR (JAGGERY)
* CALCIUM CARBONATE	* ICE PACK (SOLUTIONS	* ACTIVATED BLEACHNG	* DAIRY PRODUCTS
* LIME CALCINATION PLANT	TYPE, VIOLET-SEMI SOLID POLYMER TYPE)	EARTH	* CHLORINATED PARAFFIN
* INJECTION MOULDED	* GUM FROM TAMARIND	* TECHNICAL TEXTILES	WAX (CPW)
PLASTIC COMPONENTS	* PEARL SUGAR CANDY	* FORMALIN FROM	* HAND WASHING
* HYDRATED LIME	(MISHRI)	METHANOL	DETERGENT POWDER
* BLACK PEPPER	* GOAT & SHEEP FARMING	* CATIONIC SOFTNER	USING THE DRY MIX
* MULTIAXIAL GLASS FABRIC	* GYPSUM PLASTIC BOARD	(STEARIC ACID BASED)	PROCESS INCLUDING
* LIQUID TOILET CLEANER	(AUTOMATIC PLANT)	* PRECIPITATED SILICA	FORMULA OF DIFFERENT
(HARPIC TYPE)	* NON-WOVEN INDUSTRY	* PU BASED FOOT WEARS	TYPES QUALITIES (LOW/
* LIME & PRECIPITATED	(CARRY BAGS, SURGICAL	* FORMALDEHYDE RESIN	MEDIUM/HIGH COST)
* CALCIUM CARBONATE	GOWN, FACE MASK, ROUND	(UREA, PHENOL, MELAMINE)	* HANDWASHING DETERGENT
* LIQUID GLUCOSE FROM	CAPS, SHOE COVER, GLOVE)	* HDPE MONO FILAMEN NET	POWDER USING THE DRY
BROKEN RICE	* COTTON SPINNING, SIZING,	* POTATO & ONION FLAKES	MIX PROCESS INCLUDING

Market Survey Cum Detailed Techno Economic Faeasibility Report on all Projects are available contact: ENGINEERS INDIA RESEARCH INSTITUTE

4449, Nai Sarak, Main Road, Delhi - 110 006 (India) * Ph. : +91 9811437895, 9811151047, 91-11-23918117, 23916431, 23947058, 45120361 Email: eiribooks@yahoo.com, eiriprojects@gmail.com Website: www.eiriindia.org, www.eiribooksandprojectreports.com

- FORMULA OF DIFFERENT TYPES QUALITIES (LOW/ MEDIUM/HIGH COST)
- * DIGITAL PHOTOPAPÉR/ INKJET PHOTOPAPER
- * KAOLIN FOR ROAD MAKING * PEPPERMINT CULTIVATION &
- PROCESSING
 * PEPPERMINT CULTIVATION &
 PROCESSING
- * HDPE PIPE
- * ACTIVATED CARBON FROM
- * HT & LT INSULATOR, HT AIR BRAKE SWITCH D.O. FUSE, LIGHTENING ARRESTOR
- * PET BOTTLES IN CAP: 500ML 1 LTR, 2 LTRS, 5 LTRS, USED FOR PACKAGED DRINKING WATER, EDIBLE OILS
- * ALCOHOLIC BEVERAGES (COUNTRY LIQUOR & IMFL)
- * QUARTZ BASED INDUSTRIES (QUARTZ POWDER SILICA SAND SILICA RAMMING MASS FUSED SILICA)
- * BEEDI (BIDI) BY MACHINE
- * RICE SHELLER
- * FRUIT RIPENING CHAMBER
- * MINERAL WATER AND PET BOTTLING PLANT
- * DIAGNOSTIC LAB AND
- * ONLINE TRADING BUSINESS
- * CEREAL MILLING
- * MINI OIL PLANT SUITABLE FOR GROUNDNUT OIL AND COTTON SEED OIL
- * CHANACHUR, BHUJIA, GANTHIA (AUTOMATIC PLANT)
- * KHADYA SURAKSHA (FOOD SECURITY)
- * PLASTIC WATER STORAGE TANKS
- * ZINC SULPHATE, MONOHYDRATE & HEPTA HYDRATE
- * CIGARETTE MANUFACTURING UNIT
- * CATTLE FEED PELLETS PLANT FOR COW & BUFFALOE FOR BOOSTING MILK AND GROWTH TYRE RECYCLING UNIT
- * PAPAIN EXTRACTION INDUSTRY
- * CAKE SHOP
- * BUSINESS PROCESS

- OUTSOURCE (B.P.O.)
- * EMPTY HARD GELATINE CAPSULES
- * BIOFERTILIZER
- PLASTIC MOULDING UNIT (CHAIR, TABLES & VEGETABLE TRAYS)
- * GOLD POTASSIUM CYANIDE (G.P.C.)
- * HDPE, PVC & CPVC PIPES AND FITTINGS
- * NO CARB PASTE (ANTICARBURIZING PASTE-WATER SOLUBLE) FOR HEAT TREATMENT
- * CONVERSION WASTE PLASTIC WITH TYRE INTO ACTIVATED CARBON AND INDUSTRIAL FUEL
- * PYROLYSIS PLANT FROM PLASTIC & RUBBER
- * COMPARISON BETWEEN FLY ASH AND CELLULAR LIGHTWEIGHT CONCRETE (CLC) BRICKS
- * AGAR AGAR
- * NAIL POLISH
- * PLASTIC GRANULES FROM WASTE
- * AGARBATTI SYNTHETIC PERFUMERY COMPOUNDS & AGARBATTI COMPOUNDS
- LIKE (CHAMPA, MOGRA, SANDAL WOOD & LOBAN)
- JARS (20 LTRS CAPACITY)
 * KRAFT PAPER FROM 100%
- WASTE PAPER
- * PRIVATE UNIVERSITY
 * LIQUID GLUCOSE AND
 MALTODEXTRIN FROM
 BROKEN RICE
- * DRY WALL PUTTY (WHITE CEMENT BASED)
- * CONSTRUCTION CHEMICALS
 OT PASTE
- * FUSED SILICA FROM SILICA SAND
- * BANANA CHIPS, BANANA PULP & BANANA POWDER (BANANA PRODUCTS)
- * CONFECTIONERY UNIT (TOFFEE, CANDY /LOLLIPOP CHEWING GUM, BUBBLE GUM CHOCOLATE)
- * FORMALDEHYDE RESIN (UREA, PHENOL, MELAMINE & THEIR MODIFIED RESINS)

- * EPDM RUBBER PROFILES (WEATHER STRIPS, INDUSTRIAL MONOSTRIPS
- * GRANITE CUTTING AND POLISHING UNIT (100% EOU) * SURGICAL COTTON, ROLLER BANDAGE, CREPE BANDAGE & PLASTER CART (READY MADE) E.G. GYPSONA 3M CART
- * ENTERTAINMENT CLUB, HOLIDAY RESORT, 4 STAR HOTEL, AMUSEMENT PARK CUM WATER PARK, MUSHROOM & ITS PRODUCTS, FISH FARMING, LAKE FOR BOATING, DEER PARK ETC.
- * HDPE, PVC, LLDPE PIPES/ TUBES AND FITTING
- * EPOXIDIZED SOYABEAN OIL (SECONDARY PLASTICIZER) USED IN PVC COMPOUND
- * POULTRY PROCESSING PLANT
- * B.O.P.P. SELF ADHESIVE TAPES
- * I.V.SET
- * MANGANESE OXIDE AND MANGANESE SULPHATE
- * ODOURLESS NYLON GRANULES FROM FIBER OF WASTE TYRE WITHOUT CHANGING PROPERTIES OF NYLON
- * PARTICLE BOARD FROM RICE HUSK OR WOOD WASTE OR SUGAR CANE BAGASSE OR MIXED OF ALL ABOVE POULTRY LAYER AND BROILER FARMING
- * TOMATO, GUAVA AND MANGO
- * GREEN HOUSE * HYDROXY PROPYL GUAR (HPG) AND CARBOXY METHYL HYDROXY PROPYL GUAR
- * BATHSOAP MANUFACTURE * PLASTIC MOULDED CHAIRS FROZEN POTATO PATTY
- * CALCIUM ALUMINATE
 * ACTIVATED CARBON FROM
 COCONUT SHELL
- * RIGID PVC FILM MANUFACTURE FOR PHARMACEUTICALS BLISTER

- PACKAGING NYLONE 66 CURING TAPE USED IN RUBBER HOSE PIPE WRAPPING
- * ANTIFOAMING/DEFOAMING AGENT LIKE ANTAROL T-709 * SOY AND GLUTEN BASED
- MOCK MEAT KRAFT PAPER USING WASTE PAPER AND OLD
- CORRUGATED CARTONS
 GLASS BOTTLE FOR BEER
 AND BEER MUG (TUMBLER)
 DISPOSABLE SYRINGES AND
 NEEDLE PLANT (Single Use
 Syringes, Single Use Needles &
 As Syringes)
- DIRECT FILLED BALL PEN (USE AND THROW)
- * BENZALKONIUM CHLORIDE * SPINNING COTTON (COTTON SPINNING PLANT)
- * CALCIUM CHLORÍDE USING LIME STONE AND HYDROCHLORIC ACID * RUBBER POWDER FROM WASTE TYRES
- * CALCINATION PLANT FOR PYROPHYLLITE AND DIASPORE MINERALS BY VERTICAL SHAFT KILN PROCESS
- * ONION, GARLIC & GINGER DEHYDRATION PLANT
- * POTASSIUM NITRATE
 * POTASSIUM SULPHATE
- * N.P.K. FERTILIZER
 * CHICORY EXTRACT
 (ROASTED CHICORY
- (ROASTED CHICORY GRANULES/CUBES, LIQUID EXTRACT ETC.) * SOLID WASTE SEGREGATION
- * LAMITUBE MANUFACTURE

 * BOARDING SCHOOL

 * CERAMIC FUSE TUBE/
 BARRELS USED IN HRC FUSE
- * SODIUM POLYACRYLATE DISPERSANT FOR USE IN WATER BASED PAINT WITH DISPERSANT FOR PIGMENT
- * NAIL POLISH, LIPSTICKS, NAIL POLISH REMOVER * SOYA PRODUCTS (MILK, PANEER, TOFU, BUTTER, CHESSE CURD/YOGURT, ICE
- CREAM) WITH PACKAGING UNIT GREASE MANUFACTURING

TERMS AND CONDITIONS



Ask for the quotation for the required project report at eiritechnology@gmail.com or eiriprojects@gmail.com
Mob: +91 9811437895 or +91 9811151047

ENGINEERS INDIA RESEARCH INSTITUTE

Regd. Off: 4449, Nai Sarak, Main Road, Delhi - 110 006 (India) * Ph: +91 9811437895, 9811151047, 91-11-23918117, 23916431, 45120361, 23947058, 64727385

* E-Mail : eiriprojects@gmail.com, eiribooks@yahoo.com
* Website: www.eiriindia.org, www.eiribooksandprojectreports.com

Deposit the amount in "EIRI "Account with HDFC BANK CA05532020001279 (RTGS/NEFT/IFSC CODE: HDFC00001981) OR ICICI
BANK CA - 038705000994 (RTGS/IFSC CODE: ICIC0000387) OR
AXIS Bank Ltd. CA- 054010200006248 (RTGS/IFSC
CODE:UTIB0000054) OR UNION BAK OF INDIA CA307201010015149 (RTGS/NEFT/IFSC CODE: UBIN0530727) OR
STATE BANK OF INDIA CA-30408535340 (RTGS/IFSC CODE:
SBIN0001273) & SMS ON PH. 09811437895

LIST OF THE READY AVAILABLE E-BOOKS BY EIRI. CONTACT AT eiribooks@yahoo.com for price

- 01. Adhesive Technology and formulations hand book (Hand Book of Adhesives)
- 02. Agro Based & Processed food Prd.
- 03. Agro food Processing & Packaging
- 04. Aloe Vera Cultivation. Processings. Formulations & Manufacturing Tech.
- 05. Complete Book on Banana Cultivation Dehydration, Ripening, Processing, Products & Packaging
- 06. Citrus Fruits cultivation & Processing 07. Commercial Dairy farming to produce
- milk with project profiles
- 08. Complete Handbook on frozen food processing & freeze drying technology 09. Dairy farming for milk production
- 10. Technology of Synthetic Resin &
- **Emulsion Polymers**
- 11. Floriculture Hand Book (Hand book of flowers growing technology)
- 12. Fruit Beverages and Processing with Mango Products
- 13. Modern Technology of Printing Inks
- 14. H. B. of Biofertilizers & Vermiculture
- 15. H. B. of Adhesives with formulaes 16. Hand Book of Aromatic & Medicinal
- plants and Biodiesel (Jatropha) 17 Hand Book of Ayurvedic Medicines
- with formulations
- 18. Hand Book of dairy farming to produce milk with packaging
- 19. Hand Book of Electroplating Anodizing & Surface finishing technology
- 20. Hand Book of Flavours Technology
- 21. H.B. of Food Dehydration & Drying
- 22. Hand Book of Garments
- Manufacturing Technology 23. Hand Book of Goat Farming
- 24. Hand Book of Ice Cream Technology and formulae
- 25. Hand Book of Lubricants, Greases and Petrochemicals Technology
- 26. Hand Book of Medicinal and Aromatic Plant Cultivation, Utilisation & **Extraction Processes**
- 27. Hand Book of Mushroom Cultivation, Processing and Packaging
- 28. Technology of Reinforced Plastics
- 29. Rotational Moulding Technology
- 30. Technology of Sweets, Namkeen and Snacks Food with Formulae
- 31. Technology of Coatings, Resins, Pigments & Inks Industries
- 32. Technology of Confectionery, Chocolates, Toffee, Candy, Chewing & Bubble Gums, Lollipop and Jelly products with formulations
- 33. Technology of Food Preservation and Processing Canning, Fermented Beverages, Fruit Concentrates, Pickles, Cold Storage & Fermented Alcoholic and Non-Alcoholic Beverages
- 34. Tech. of Food Processing Industries
- 35. Technology of Perfumes, Flavours and

- **Essential Oils**
- 36. Technology of PVC Compounding and Its Applications
- 37. Technology of Rubber & Rubber Goods Industries
- 38. Technology of Sweets (Mithai) with Formulae
- 39. Technology of Synthetic Dyes, Pigments & Intermediates
- 40. Technology of Oilseeds Processing, Oils & Fats and Refining
- 41. Textile Auxiliaries and Chemicals with Processes & Formulations
- 42. Hand book of Offset Printing Technology, Pre-Press, Plate Making, Web Offset, Newspaper Production
- 43. Hand Book of Organic Farming & Organic Foods with Vermi-Composting and Neem Products
- 44. Hand Book of Packaging Technology
- 45. Hand Book of Plastic Materials and **Processing Technology**
- 46. Hand Book of Poultry Farming & Feed Formulations
- 47. Hand Book of Prepress
- 48. Hand Book of Spices & Packaging with Formulaes
- 49. Hand Book of Ceramics & Ceramics **Processing Technology**
- 50. Injection Moulding of Plastics
- 51. Manufacture of Snacks Food, Namkeen, Pappad & Potato Products
- 52. Manufacturing Technology of Non-Ferrous Metal Products
- 53. Technology of Chicken Meat and Poultry Products
- 54. Meat Processing & Meat Products H.B. 55. Technology of Water & Packaged
- **Drinking Water**
- 56. Modern Technology of Frozen Food **Products**
- 57. Modern Technology of Non-Ferrous Metals and Metal Extraction
- 58. Modern Bakery Tech. & Fermented Cereal Products with Formulae
- 59. Modern Bee Keeping and Honey Processing Technology
- 60. Modern Technology of Acid Slurry, Surfactants, Soap and Detergents with formulae
- 61. Modern Technology of Extrusion & Extruded Products
- 62. Modern Technology of Rolling Mill, Billets, Steel Wire, Galvanized Sheet, Forging and Castings
- 63. Technology of Pet Bottles, Preform and Pet Recycling
- 64. Plastic Additives Technology Hand Book
- 65. Plastic Waste Recycling Technology
- 66. Potato & Potato Processing Technology 67. Profitable Businesses to Start for
- Entrepreneurs
- 68. Profitable Small, Cottage, Tiny and Home Industries A complete handbook

- on Home & Small Scale Industries
- 69. Technology of Reinforced Plastics 70. Rotational Moulding Technology Hand Book
- 71. Modern Technology of Tomato Processing and Dehydration-Ketchup, Juice, Paste, Puree, Soup and Drying
- 72. Complete Technology of Nonwovens-Fabrics, Carrybags, Composites, Geotextiles, Medical Textiles, Fibres, Felts, Apparels, Spunlace & Absorbent Nonwovens
- 73. Technology of Soybean Products with Formulae
- 74. Modern Technology of Agro Processing and Food Packaging Products with Project Profiles
- 75. Technology of Soya Milk, Tofu, Hydrolyzate, allied Soyabean Products with Project Profiles
- 76. Products from Waste Technology Handbook
- 77. Food Additives, Sweeteners
- 78. Technology of Food Chemicals, Pigments and Food Aroma Compounds
- 79. Technology of Glue and Adhesives with Adhesives Bonding and Formulations
- 80. Coffee Processing Hand Book
- 81. Casting Technology HandBook
- 82. Powder Coating Technology Hand Book
- 83. Poultry Farming, Hatchery and **Broiler Production**
- 84. Technology of Wine Production and Packaging
- 85. Modern Technology of Bioprocessing (Fermentation, Food, Enzyme, Pharmacetical, Industrial, Agricultural and Energy)
- 86. Profitable Small Scale Manufacture of Cosmetics (Synthetic/Herbal)
- 87 Technology of Herbal Cosmetics and Toiletries Products with Formulae
- 88. Tech of Maize & Allied Corn Products
- 89. Complete Hand Book on Adhesives and Adhesion Technology with **Project Profiles**
- 90. Hand Book of Tree Farming
- 91. Hand Book of Pig Farming
- 92. Technology of Paints and Coatings with Formulations
- 93. E-Book Formulations on Nail Enamel & Nail Polish Removers
- 94. E-Book Formulations on Herbal Hair Oils & Hair Lotions, Hair Vitalizer, Hair Styling Gel & Afro Products
- 95. E-Book on Herbal Cold Cream, Moisturizing Cream with Aloevera & Fairness Creams

Immediate Delivery by Email, PDF Copy